# Section 1. Product and Company Identification.

**1.1 Model Number;** TST10 v1

**1.2 Description;** Temporary Puncture Repair Kit

20 milliliters.



Sealey Group. Kempson Way, Bury St. Edmunds, Suffolk. IP32 7AR

1.4 Emergency telephone number; 44 (0) 1284 757 500 (Office Hours)

Date of source compilation; 16 February 2011

# Section 2. Hazards Identification.

**2.1** Classification of the substance or mixture.

None.

#### 2.2 Label elements.

## Hazard pictogram(s)



Signal Word. Danger

#### Hazard statements;

Highly flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause drowsiness or dizziness.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.



#### Section 2. Hazards Identification, continued.



#### Precautionary statements;

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharges.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Use only outdoors or in a well-ventilated area.

Avoid release into the environment.

Wash hands thoroughly after use.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid release into the environment.

Wash hands thoroughly after use.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing.

Rinse with water/shower.

In case of fire: Use powder, foam, carbon dioxide for extinction.

Store in a well ventilated place. Keep cool.

Keep container tightly closed

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTRE or doctor/physician if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse

IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.

Do NOT induce vomiting.

Collect spillage.

Store locked up. Dispose of contents/container in accordance with local regulation

#### 2.3 Other hazards.

No data available.

## Section 3. Substances.

	3.1 CAS No.	3.2 Concentration	Classification		
<b>3.1 Chemical Name</b> (substance)			Hazard Class & Category Code	Hazard Statements <sup>1</sup>	
Heptane	142-82-5	70%	Flam. Liq. 2 Asp. Tox. 1 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H225 H304 H336 H315 H400 H410	
Natural rubber	9003-31-0	25%	-	-	
Petroleum resin	64742-16-1	5%	-	-	

<sup>&</sup>lt;sup>1</sup>For full text of Statements, see Section 16.

# SEALEY

## Section 4. First Aid Measures.

#### **4.1** Description of first aid measures

#### Inhalation

Remove to fresh air.

Seek medical attention

#### **Skin Contact**

Immediately flush skin with plenty of soap and water.

Remove contaminated clothing and shoes.

Seek medical attention if symptoms persist.

Wash clothing before reuse.

#### **Eye Contact**

Immediately flush eyes with water for at least 15 minutes, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses if easily possible.

Seek medical attention if symptoms persist.

#### Ingestion

Do not induce vomiting.

If fully conscious: wash out mouth with water.

Never give anything by mouth to an unconscious person.

Seek medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness

## 4.3. Indication of any immediate medical attention and special treatment needed

In all cases of doubt, or when symptoms persist, seek medical attention

# Section 5. Fire Fighting Measures.

#### 5.1. Extinguishing media

Powder, foam, carbon dioxide.

DO NOT use water. Water spray can be used to cool fire exposed containers

#### **5.2.** Special hazards arising from the substance or mixture

Approach fire form upwind to avoid hazardous vapour and toxic decomposition products.

Move container from fire area if this can be done without risk.

Withdraw immediately in case of rising sound form venting safety devices or discoloration of tank.

#### 5.3. Advice for fire-fighters

Wear a self-contained approved breathing apparatus in pressure demand, and full protective gear.

Always stay away from tanks engulfed in fire.

For large fires, use automatic fire extinguishing system if this is possible. Withdraw from area and let fire burn.

Prevent run off from contaminating drinking water, sewers and water courses or aquatic environment.



## Section 6. Accidental Release Measures.

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands thoroughly after use.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Avoid release into the environment.

#### 6.3. Methods and material for containment and cleaning up

Ensure adequate ventilation.

Remove all sources of ignition.

Use vapour suppressing foam to reduce vapours.

Use water spray to reduce vapours or divert vapour cloud drift.

Absorb spill with inert material (e.g. vermiculite, sand or earth) then place in a suitable container.

Prevent run off from contaminating drinking water, sewers and water courses or aquatic environment.

Scoop up with a tool that will not cause sparks and place into a suitable container for disposal.

#### 6.4. Reference to other sections

See Section 7 for information on Safe Handling

See Section 8 for information of Personal Protective Equipment.

See Section 13 for information on disposal.

# Section 7. Handling and Storage.

#### 7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray.

Use only outdoors or in a well-ventilated area.

Wash hands thoroughly after use.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid release into the environment.

Wash hands thoroughly after use.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing.

Rinse with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTRE or doctor/physician if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse

IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.

## **7.2.** Conditions for safe storage, including any incompatibilities

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

#### **7.3.** Specific end use(s)

Intended for use as a Temporary Puncture Repair Kit, Model Number identified in 1.1 with Description stated in 1.2.



# **Section 8. Exposure Controls/Personal Protection.**

#### 8.1. Control parameters

Workplace exposure limits.

	CAS number	Workplace exposure limit.			
Substance		Long term.		Short term.	
		ppm	mg.m <sup>3</sup>	ppm	mg.m <sup>3</sup>
Heptane	142-82-5	500	2085	1	-

#### 8.2. Exposure controls

#### **Appropriate Engineering Controls**

Ensure adequate ventilation.

Ensure that electrical ventilation equipment is explosion-proof.

#### **Eye/Face Protection**

Chemical resistant tight fitting goggles.

#### **Skin Protection**

Wear chemical resistant latex or nitrile gloves to prevent skin exposure.

Wear chemical resistant protective clothing to prevent skin contact.

#### **Respiratory Protection**

Use self-contained breathing apparatus for high concentrations.

Selection of respiratory protection must be based upon exposure levels.

# Section 9. Physical and Chemical Properties.

#### 9.1. Information on basic physical and chemical properties

## The following information is not a technical specification or sales specification.

(a) Appearance: Viscous liquid. Light yellow.
(b) Odour: Weak pungent odour.
(c) Odour threshold; No data available.

(d) pH: 7

(e) Melting point/freezing point;
 (f) Initial boiling point and boiling range;
 (g) Flash point;
 (h) Evaporation rate;
 No data available.
 Not determined.
 No information available.

(i) Flammability (solid, gas); Highly flammable.
(j) Upper/lower flammability or explosive limits; Not determined.
(k) Vapour pressure; Not determined.

(I) Vapour density;
(I) Vapour density;
(I) Vapour density;
(I) Not determined.
(II) Not determined.
(II) Solubility (ies);
(III) Insoluble in water
(III) Vapour density;
(III) Not determined.
(III)

(q) Decomposition temperature; No data available. (r) Viscosity; Not determined. (s) Explosive properties; Not determined.

(t) Oxidising properties. Not applicable to this product.

**9.2** Other information No information available.



# Section 10. Stability and Reactivity.

**10.1.** Reactivity Stable under normal storage and handling conditions.

**10.2.** Chemical stability Stable in closed containers, under specific storage and

handling conditions.

**10.3.** Possibility of hazardous reactions Under normal conditions, not hazardous reactions will

occur

**10.4.** Conditions to avoid Any sources of ignition or heat (e.g. open flames, sparks,

direct sunlight, smoking, hot surfaces).

**10.5.** Incompatible materials Strong oxidizing agents. Product attacks many plastics.

**10.6.** Hazardous decomposition products Carbon dioxides, hydrocarbons etc.

# Section 11. Toxicological Information.

11.1. Information on toxicological effects

No data available.

# **Section 12. Ecological Information.**

12.1. Toxicity No data available.

12.2. Persistence and degradability

This product contains heptane which is toxic to aquatic organisms.

Bioaccumulation may occur in fish.

12.3. Bioaccumulative potential
12.4. Mobility in soil
12.5. Results of PBT and vPvB assessment
No data available.
No data available.

12.6. Other adverse effects Prevent from spreading or entering into soil, drains ditches or rivers.

# Section 13. Disposal Considerations.

13.1. Waste treatment methods

Prevent disposal in drainage systems, sewers and water courses or aquatic environment.

Dispose of in accordance with Local Authority Regulations via a Licensed Waste Disposal Contractor.

Contaminated packaging should be treated in the same way as waste product.



# **Section 14. Transport Information.**

## ADR. International Carriage of Dangerous Goods by Road.

**14.1.** UN number UN 1133

**14.2.** Name and Description Adhesives containing flammable liquid

**14.3.** Transport hazard class(es) 3 **14.4.** Packing group

**14.5.** Environmental hazards Does not present an environmental hazard.

**14.6.** Special precautions for user No special precautions necessary.

#### IATA. International Air Transport Association.

**14.1.** UN number UN 1133

**14.2.** UN Proper Shipping Name/Description Adhesives containing flammable liquid

**14.3.** Transport hazard class(es) **14.4.** Packing group

**14.5.** Environmental hazards Does not present an environmental hazard.

**14.6.** Special precautions for user No special precautions necessary.

#### IMDG. International Maritime Dangerous Goods.

**14.1.** UN number UN 1133

**14.2.** UN proper shipping name Adhesives containing flammable liquid

**14.3.** Transport hazard class(es) 3 **14.4.** Packing group II

**14.5.** Environmental hazards Does not present an environmental hazard.

**14.6.** Special precautions for user No special precautions necessary.

**14.7.** Transport in bulk – Maritime only. Bulk transport is not applicable to this product



# **Section 15. Regulatory Information.**

**15.1.** Safety, health and environmental regulations/legislation specific for the substance or mixture No data available.

**15.2.** Chemical safety assessment No data available.

## Section 16. Additional Information.

Full text of Phrases and Statements used in Section 3;

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H315 Causes skin irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

The above information is believed to be accurate and represents the best information currently available.

No warranty is expressed or implied by the above information.

We assume no liability resulting from use of the above information.

The end user should conduct their own investigations to determine the suitability of the above information for their particular purpose.

Issue level	Date	Revisions
1	23/12/15	First issue.
2	19/02/16	Sections 3 & 14.4
3	27/04/16	Section 1.2
4	15/06/16	Sections 1.2, 3, 7 and 8.
5	29/03/17	Section 2.2
6	04/05/20	Update template
7	26/11/20	Section 91 (g)
8	08/03/23	Section 1.2

End of Safety Data Sheet.