



PROFESSIONAL ROUTER BITS

Tungsten Carbide Tipped Router Bits, for use on hardwood & softwood, fiberboard, plywood and particle board.

- Microgranular Tungsten Carbide tips to ensure a perfect sharpness for extra life.
- Bits made to European Safety Standard EN847-1/2 which ensures quality materials are used and that tools are balanced and are round form to reduce user injury.
- Bits are two fluted unless specified otherwise.
- Supplied in heavy duty protective storage tubes.



HOW TO ORDER

To order a router bit please state product ref, followed by shank diameter, followed by grade. For example - U*T002X1/4 TC


STRAIGHT FLUTED

Straight Plunge Bits

Gives a clean finish to abrasive materials such as chipboard, MDF, plywood and hardwoods. For housing, grooving and mortising.



SAFETY ANTI-KICKBACK DESIGN





Single Flute Straight

D inch	C inch	OL inch	Product Ref.	Shank Diameter 1/4"
1/8	7/16	2	U*T002	✓
1/4	1	2-3/8	U*T004	✓

Two Flute Straight


D inch	C inch	OL inch	Product Ref.	Shank Diameter 1/4"	1/2"
1/16	3/16	1-3/4	U*T012	✓	-
3/32	1/4	1-13/16	U*T014	✓	-
1/8	7/16	2	U*T016	✓	-
5/32	7/16	2	U*T017	✓	-
3/16	7/16	2	U*T024	✓	-
7/32	3/4	2	U*T025	✓	-
1/4	3/4	2	U*T031	✓	-
1/4	1	2-1/4	U*T032	✓	-
9/32	1	2-1/4	U*T033	✓	-
5/16	1	2-1/4	U*T034	✓	✓
3/8	3/4	2-1/2	U*T040	-	✓
3/8	1	2-1/4	U*T041	✓	✓
7/16	1	2-1/4	U*T043	✓	-
1/2	1	2-1/4	U*T046	✓	✓
1/2	1-1/4	2	U*T047	-	✓
1/2	1-1/2	3-1/8	U*T048	-	✓
1/2	2	4-1/4	U*T049	-	✓
5/8	3/4	1-15/16	U*T050	✓	-
5/8	1-1/4	2-7/8	U*T051	-	✓
3/4	3/4	2	U*T054	✓	-
3/4	1-1/4	2-7/8	U*T055	-	✓
1	3/4	2	U*T058	✓	-




RABBETING

Guided Rabbeting Set

Easy to set-up. Bearing acts as guide for depth of cut. Three additional bearings included to give a choice of rabbets. Rabbet sizes 1/4", 5/16", 3/8" and 7/16".



Rabbet inch	Bearing Dia. inch
7/16	3/8
3/8	1/2
5/16	5/8
1/4	3/4



D inch	C inch	OL inch	Product Ref.	Shank Diameter 1/4"	1/2"
1-1/4	1/2	2	U*T071	✓	✓

N.B. OL shown in table is for 1/4" shank tool. The 1/2" shank equivalent is approx. 1/2" longer.