

NEW PRODUCTS

- PERSONAL PROTECTIVE EQUIPMENT
- T33 & T32 M-CLASS SITE DUST EXTRACTORS
- WORKTOP JIGS
- CLAMPS
- SAWBLADES
- ABRASIVES
- POCKET HOLE JIGS
- INFLATABLE WEDGE
- STORAGE
- CNC SMARTBENCH

PERSONAL PROTECTIVE EQUIPMENT



ABRASIVES



WORKTOP JIGS



**T33 M-CLASS WET & DRY
SITE DUST EXTRACTOR
25 LITRE**

PRO MULTI-MATERIAL WORKTOP JIGS

UNDER
15
MINUTES

**Quick & Easy
Set-Up/Cut**

**12mm
HPL**

**High Pressure
Laminate**

14

**Worktop
Functions**

5

**Inset
Cut Depths**



**Recessed
Clamping Slots**




**Easy Set Window for Measuring
from Worktop Front Edge**



PRO MULTI-MATERIAL WORKTOP JIG 750MM

**150
750**

**Worktop
Widths**



Product Ref.
KWJ750P

Product Ref.
KWJ900P

MODULAR PRO MULTI-MATERIAL WORKTOP JIG 900MM

**150
900**

**Worktop
Widths**



Modular

NOW YOU CAN MEASURE FROM THE FRONT EDGE

MEASURE



Establish the
joint length

MARK



Transfer the measurement on to
the worktop & align the backset
using the Easy Set Window

CUT



Clamp the jig and cut as
usual using a Router
& guide bush

Visit trend-uk.com to view our product videos

WORKTOP TRUE CUT

Worktop Jig accessory for making fast, accurate angled worktop joints to accommodate out-of-square walls.

 **Interlocking Components for Worktop Jig Locking**

 **Multi Edge Profile Compatible**

 **Universal Fit for any Jig with 12mm Thickness**



+/- 25° Angle Range ± 25°

WORKTOP JIG CASES

 **Heavy Duty Polyester Coated 600D**

 **Heavy Duty Padding**

 **Hook & Loop Closure**

 **Tough & Durable**




ROUTER SURFACING JIG

 **Flattens Wide Stock Easily**

 **Ideal for Long Materials 400 mm x 910 mm**

 **Maximum Router Weight 7kg**

 **High Pressure Laminate 12mm HPL**



WORKTOP PRO JIG & TRACK CLAMP

Ideal for use with the KWJ750P and KWJ900P Pro Worktop Jigs
Suitable for guide rails with 8mm x 12mm T slot



FIX

Secure the work safely to the cradle

SET

Position the router & set the cut depth

CUT

Flatten the surface in series of shallow passes

A BLADE SOLUTION FOR EVERY MACHINE

PROFESSIONAL & CRAFTPRO SAWBLADES

A range of Tungsten Carbide Tipped sawblades designed for a professional finish in softwood, hardwood, hardboard, plywood & particle board.



High Grade Steel Plate



Tungsten Carbide Tipped



Precision Bore



High Performance & Long Life



Blade sizes from 85mm to 350mm For cordless trim saws to bench saws

EXPANSION SLOT

This allows the blade to expand as it heats up while cutting to prevent warping.

DIAMETER

This symbol denotes the diameter of the blade.

BORE

The diameter of the hole at the centre of the blade.

DIRECTION

This shows the cutting rotation of the blade.

TOOTH TIP/TYPE

Teeth shape vary to suit material being sawn.

TOOTH

The number of teeth on a blade will affect the speed and finish of the cut.



KERF

Width of slot created by the tooth.



NEW PRODUCTS IN THE TREND SAWBLADE RANGE

NEW



High Grade Steel Plate



Precision Bore



Reduced Vibration

Blade Product Ref.	Diameter	Bore	Teeth	Kerf	Plate	Hook	Finish
CSB/16540T	165mm	20mm	40	1.5mm	1mm	15	Fine
CSB/16048	160mm	20mm	48	2.4mm	1.5mm	15	Fine
CSB/16048A	160mm	20mm	48	2.2mm	1.6mm	15	Fine
CSB/16548B	165mm	20mm	48	2.2mm	1.6mm	15	Fine
CSB/19040	190mm	30mm	40	2.6mm	1.7mm	15	Medium

Visit trend-uk.com to view our product videos

COLOUR LABEL DENOTES BLADE GROUP FOR EASY SELECTION OF BLADE FOR CORRECT FINISH ON MATERIAL & TYPE OF SAWING MACHINE USED

 **Universal Rip**
Coarse Finish

 **Combination**
Medium Finish

 **Fine Trim/Finishing**
Extra Fine Finish

 **Aluminium/Plastic/Worktop Blade - Fine Finish**

 **General Purpose**
Medium/Coarse Finish

 **Trimming/Crosscut**
Medium/Fine Finish

 **Panel Trimming**
Super Fine Finish

TOP SELLING LINES - OVER 185 AVAILABLE

Product Ref.	Blade Diam.	Bore Size	Kerf (mm)	Teeth (Finish)	Teeth (Hook)	Teeth Form	Saw Type	Compatible Machine
CSB/PT16048	160mm	20	2.2mm	48 (Super Fine Finish)	4°	TCP	Plunge Saw	Festool TS55, TSC55 & Scheppach PL55-P2, Mafell MT55CC
FT/160X48X20A	160mm	20	2.2mm	48 (Extra Fine Finish)	5°	ATB	Plunge Saw	Festool TS55, TSC55 & Scheppach PL55-P2, Mafell MT55CC
CSB/16048	160mm	20	2.4mm	48 (Medium/Fine Finish)	15°	ATB	Circular Saw	Metabo KS 55 FS, Bosch PKS 55
FT/160X48X20	160mm	20	2.6mm	48 (Extra Fine Finish)	10°	ATB	Circular Saw	Metabo KS 55 FS, Bosch PKS 55
PT/160X48X20	160mm	20	2.6mm	48 (Super Fine Finish)	10°	TCP	Plunge Saw	Festool TS55, TSC55 & Scheppach PL55-P2, Mafell MT55CC
CSB/16524T	165mm	20	1.5mm	24 (Medium Finish)	15°	ATB	Cordless Circular Saw	DeWalt DCS391, Hikoki C18DBAL, C3606DA, Bosch GKS18V-LI, Makita DHS660, DHS680, Metabo KS 18 LTX57
CSB/16540T	165mm	20	1.5mm	40 (Medium/Fine Finish)	15°	ATB	Cordless Circular Saw	DeWalt DCS391, Hikoki C18DBAL, C3606DA, Bosch GKS18V-LI, Makita DHS680 & Metabo KS 18 LTX57
CSB/PT16548	165mm	20	2.2mm	48 (Super Fine Finish)	4°	TCP	Plunge Saw	DeWalt DS520, Makita SP6000, Triton TTS1400, Bosch GKT 55 GCE
CSB/16548B	165mm	20	2.2mm	48 (Medium/Fine Finish)	15°	ATB	Circular Saw	DeWalt DWE550, Bosch GKS165, Makita 5604R, HS6601 & Evolution R165CCSL
FT/165X48X20	165mm	20	2.2mm	48 (Extra Fine Finish)	5°	ATB	Circular Saw	DeWalt DWE550, Bosch GKS165, Makita 5604R, HS6601 & Evolution R165CCSL
CSB/19040	190mm	30	2.6mm	40 (Medium Finish)	15°	ATB	Circular Saw	Makita HS7611, 7601, 7100, Bosch GKS190, DeWalt DWE575K, DWE576K, Hikoki C7U3
CSB/19024	190mm	30	2.6mm	24 (Medium/Coarse Finish)	15°	ATB	Circular Saw	Makita HS7611, 7601, 7100, Bosch GKS190, DeWalt DWE575K, DWE576K, Hikoki C7U3
CSB/CC21660	216mm	30	2.6mm	60 (Extra Fine Finish)	Neg 5	ATB	Mitre Saw	Festool KS 60E, DeWalt DWS777, Makita LS0815, Bosch GCM8, Metabo KGS216M, Milwaukee MS 216 SB
CSB/CC21648	216mm	30	2.6mm	48 (Medium/Fine Finish)	Neg 5	ATB	Mitre Saw	Festool KS 60E, DeWalt DWS777, Makita LS0815, Bosch GCM8, Metabo KGS216M, Milwaukee MS 216 SB
AP/305X80X30	305mm	30	3mm	80 (Fine Finish)	Neg 6	TCP	Mitre Saw	DeWalt DWS780, Makita LS1219L, Bosch GCM 12 SDE
PCD PCD/FSB/1604	160mm	20	1.8mm	4	12°	TCG	Plunge/ Circular Saw	Festool TS55, TSC55, HK55, HKC55 & Scheppach PL55-P2, Mafell MT55CC
PCD PCD/FSB/1654	165mm	20	1.8mm	4	12°	TCG	Plunge/ Circular Saw	DeWalt DCS391, Hikoki C18DBAL, C3606DA, Bosch GKS18V-LI, Makita DHS660, DHS680, Metabo KS 18 LTX57
PCD PCD/FSB/1906	190mm	30	2.4mm	6	12°	TCG	Circular Saw	Makita HS7611, 7601, 7100, Bosch GKS190, DeWalt DWE575K, DWE576K, Hikoki C7U3
PCD PCD/FSB/2166	216mm	30	2.4mm	6	12°	TCP	Mitre Saw	Festool KS 60E, DeWalt DWS777, Makita LS0815, Bosch GCM8, Metabo KGS216M, Milwaukee MS 216 SB
PCD PCD/FSB/2506	250mm	30	2.4mm	6	12°	TCG	Circular Saw	DeWalt DWS780, Makita LS1219L, Bosch GCM 12 SDE
PCD PCD/FSB/1154	115mm	9.5	1.6mm	4	12°	TCG	Circular Saw	DeWalt DCS571
NEW CSB/16018	160mm	20	1.8mm	18 (Medium Finish)	25°	ATB	Circular Saw	Festool HK55, HKC55
NEW CSB/16032	160mm	20	1.8mm	32 (Medium Finish)	5°	ATB	Circular Saw	Festool HK55, HKC55

NEW FFP2 & FFP3 MASKS

Lightweight & disposable, new for 2021

FFP2 NR RESPIRATOR

>94% Above 94% Dust Capture Efficiency

UP TO 8hrs Up to 8hrs Continuous Wear

Adjustable nose clip

Adjustable straps



APF10

FFP2

x10

Product Ref. RPE/FFP2/A/10


FFP2 NR VALVED RESPIRATOR

>94% Above 94% Dust Capture Efficiency

UP TO 8hrs Up to 8hrs Continuous Wear

Side Exhalation Valve

Adjustable straps



APF10

FFP2V

x3

Product Ref. RPE/FFP2V/3

FFP3 NR VALVED RESPIRATOR

99% 99% Dust Capture Efficiency

0.3µ Captures Harmful Airborne particles

UP TO 8hrs Up to 8hrs Continuous Wear

Front Exhalation Valve

Internal Face Seal

4 Point Strap Adjustment



APF20

FFP3V

x5

Product Ref. RPE/FFP3V/5

Visit [trend-uk.com](https://www.trend-uk.com) to view our product videos

RESPIRATORY RANGE

Whether it's your eyes, face, lungs or head, Trend takes your safety & protection seriously. From daily disposable masks to high-end protective respiratory equipment, Trend has the right mask to suit your needs.



**Market Leading
Respiratory Protection**



**Maximum
Comfort**



**Excellent Filtration
& Breathability**

NEW



APF10

x10

FFP2 NR RESPIRATOR
FFP2

NEW



APF10

x3

**FFP2 NR VALVED
RESPIRATOR**
FFP2V

NEW



APF20

x5

**FFP3 NR VALVED
RESPIRATOR**
FFP3V



APF20 x WEL

**AIR STEALTH
LITE PRO**



APF20

AIR STEALTH



P3-APF40

A2P3-APF20

AIR MASK PRO



APF20

AIRSHIELD PRO



APF40

AIR PRO MAX



***MASKS THAT ARE MDF SAFE**

Mask Product Ref.	Description
RPE/FFP2/A/10	FFP2 NR Respirator 10 Pack
RPE/FFP2V/3*	FFP2 NR Valved Respirator 3 Pack
RPE/FFP3V/5*	FFP3 NR Valved Respirator 5 Pack
STE/LP/ML*	Air Stealth Lite Pro
STE/LP/ML/5*	Air Stealth Lite Pro 5 Pack
STEALTH/SM OR ML*	Air Stealth
STE/VIS/ML*	Air Stealth Vis
AIR/M/FF/S, M OR L*	Air Mask Pro
AIR/PRO*	Airshield Pro
AIR/PRO/M*	Air Pro Max

REMEMBER:
Change filters regularly
for maximum protection



Filter Product Ref.	Description
STEALTH/1	Air Stealth Replaceable P3 Filters
STEALTH/3	Air Stealth Replaceable P3 Nuisance Filters
AIR/MF/P3	Air Mask Pro Replaceable P3 Filters
AIR/MF/A2P3	Air Mask Pro Replaceable A2P3 Filters
AIR/P/1	Airshield Pro TH2P-S Filters
AIR/PM/1	Air Pro Max Replaceable P3 Filter



GAME CHANGING SANDING TECHNOLOGY



Trend high performance abrasives give a high quality finish, are long lasting and increase productivity.





ALUMINIUM OXIDE		ZIRCONIUM		MESH	
3x Longer Lasting	Maximum Stock Removal	4x Longer Lasting	Maximum Stock Removal	5x Longer Lasting	Maximum Stock Removal
2x Double Layer of Adhesive	Secure Grains	2x Double Layer of Adhesive	Secure Grains	Dust Free with Dust Extractor	Rinse & Re-Use
Anti-Clog Technology	Higher Efficiency	Anti-Clog Technology	Self Sharpening	Anti-Clog Technology	High Temp Rating

NEW OPEN COATING INNOVATION

TECHNOLOGY	OPEN COATING	ANTI CLOGGING	SELF SHARPENING	DOUBLE RESIN LAYER	RAPID STOCK REMOVAL	RINSE & RE-USE	HIGH TEMPERATURE THRESHOLD	DUST EXTRACTION	LONGEVITY
MESH		✓			✓	✓	✓	FULL SURFACE EXTRACTION	5x LONGER LASTING
ZIRCONIUM	✓	✓	✓	✓	✓			✓	4x LONGER LASTING
ALUMINIUM OXIDE	✓	✓		✓	✓			✓	3x LONGER LASTING

ABRASIVES USAGE

TECHNOLOGY	FERROUS METALS	NON-FERROUS METALS	CAST IRON	STAINLESS STEEL (FINE GRITS)	HARDWOOD & SOFTWOOD	TIMBER BASED SHEET MATERIAL	FIBREGLASS, RUBBER & PLASTICS	PAINTED/ FINISHED SURFACES	FINE FINISH FILLERS
MESH		✓	✓	✓	✓	✓	✓	✓	✓
ZIRCONIUM	✓	✓			✓	✓	✓	✓	
ALUMINIUM OXIDE		✓			✓	✓		✓	



Visit trend-uk.com to view our product videos

ALUMINIUM OXIDE

Available in 120, 180 & 240 grit
Belts available in 40, 60 & 80 grit

ZIRCONIUM

Available in 40, 60 & 80 grit

MESH

Available in 80, 120, 150 & 240 grit






40 EXTRA COARSE

60/80 COARSE





120 MEDIUM

150/180 FINE



240 EXTRA FINE

Sander	Product Ref.	Type	Grit	Material	Pack Size
125mm Random Orbital Sander Disc 	AB/125/40Z	Universal 125mm ROS Disc	40	Zirconium	10
	AB/125/60Z	Universal 125mm ROS Disc	60	Zirconium	10
	AB/125/80Z	Universal 125mm ROS Disc	80	Zirconium	10
	AB/125/120A	Universal 125mm ROS Disc	120	Aluminium Oxide	10
	AB/125/180A	Universal 125mm ROS Disc	180	Aluminium Oxide	10
	AB/125/240A	Universal 125mm ROS Disc	240	Aluminium Oxide	10
	AB/125/80M	Universal 125mm ROS Disc	80	Mesh	5
	AB/125/120M	Universal 125mm ROS Disc	120	Mesh	5
	AB/125/150M	Universal 125mm ROS Disc	150	Mesh	5
AB/125/240M	Universal 125mm ROS Disc	240	Mesh	5	
150mm Random Orbital Sander Disc 	AB/150/40Z	Universal 150mm ROS Disc	40	Zirconium	10
	AB/150/60Z	Universal 150mm ROS Disc	60	Zirconium	10
	AB/150/80Z	Universal 150mm ROS Disc	80	Zirconium	10
	AB/150/120A	Universal 150mm ROS Disc	120	Aluminium Oxide	10
	AB/150/180A	Universal 150mm ROS Disc	180	Aluminium Oxide	10
	AB/150/240A	Universal 150mm ROS Disc	240	Aluminium Oxide	10
	AB/150/80M	Universal 150mm ROS Disc	80	Mesh	5
	AB/150/120M	Universal 150mm ROS Disc	120	Mesh	5
	AB/150/150M	Universal 150mm ROS Disc	150	Mesh	5
AB/150/240M	Universal 150mm ROS Disc	240	Mesh	5	
225mm Random Orbital Sander Disc 	AB/225/40Z	Universal 225mm ROS Disc	40	Zirconium	10
	AB/225/60Z	Universal 225mm ROS Disc	60	Zirconium	10
	AB/225/80Z	Universal 225mm ROS Disc	80	Zirconium	10
	AB/225/120A	Universal 225mm ROS Disc	120	Aluminium Oxide	10
	AB/225/180A	Universal 225mm ROS Disc	180	Aluminium Oxide	10
	AB/225/240A	Universal 225mm ROS Disc	240	Aluminium Oxide	10
	AB/225/80M	Universal 225mm ROS Disc	80	Mesh	5
	AB/225/120M	Universal 225mm ROS Disc	120	Mesh	5
	AB/225/150M	Universal 225mm ROS Disc	150	Mesh	5
AB/225/240M	Universal 225mm ROS Disc	240	Mesh	5	
93mm Delta Sanding Sheet 	AB/OSC/40Z	93mm Delta Sanding Sheet	40	Zirconium	10
	AB/OSC/60Z	93mm Delta Sanding Sheet	60	Zirconium	10
	AB/OSC/80Z	93mm Delta Sanding Sheet	80	Zirconium	10
	AB/OSC/120A	93mm Delta Sanding Sheet	120	Aluminium Oxide	10
	AB/OSC/180A	93mm Delta Sanding Sheet	180	Aluminium Oxide	10
	AB/OSC/240A	93mm Delta Sanding Sheet	240	Aluminium Oxide	10
	AB/OSC/80M	93mm Delta Sanding Sheet	80	Mesh	5
	AB/OSC/120M	93mm Delta Sanding Sheet	120	Mesh	5
	AB/OSC/150M	93mm Delta Sanding Sheet	150	Mesh	5
AB/OSC/240M	93mm Delta Sanding Sheet	240	Mesh	5	
Detail Sanding Sheet 	AB/DET/40Z	Detail Sanding Sheet	40	Zirconium	10
	AB/DET/60Z	Detail Sanding Sheet	60	Zirconium	10
	AB/DET/80Z	Detail Sanding Sheet	80	Zirconium	10
	AB/DET/120A	Detail Sanding Sheet	120	Aluminium Oxide	10
	AB/DET/180A	Detail Sanding Sheet	180	Aluminium Oxide	10
	AB/DET/240A	Detail Sanding Sheet	240	Aluminium Oxide	10
	AB/DET/80M	Detail Sanding Sheet	80	Mesh	5
	AB/DET/120M	Detail Sanding Sheet	120	Mesh	5
	AB/DET/150M	Detail Sanding Sheet	150	Mesh	5
AB/DET/240M	Detail Sanding Sheet	240	Mesh	5	

GAME CHANGING SANDING TECHNOLOGY

Sander	Product Ref.	Type	Grit	Material	Pack Size
1/4 Sanding Sheet 	AB/QTR/40Z	1/4 Sanding Sheet	40	Zirconium	10
	AB/QTR/60Z	1/4 Sanding Sheet	60	Zirconium	10
	AB/QTR/80Z	1/4 Sanding Sheet	80	Zirconium	10
	AB/QTR/120A	1/4 Sanding Sheet	120	Aluminium Oxide	10
	AB/QTR/180A	1/4 Sanding Sheet	180	Aluminium Oxide	10
	AB/QTR/240A	1/4 Sanding Sheet	240	Aluminium Oxide	10
	AB/QTR/80M	1/4 Sanding Sheet	80	Mesh	5
	AB/QTR/120M	1/4 Sanding Sheet	120	Mesh	5
	AB/QTR/150M	1/4 Sanding Sheet	150	Mesh	5
AB/QTR/240M	1/4 Sanding Sheet	240	Mesh	5	
1/3 Sanding Sheet 	AB/THD/40Z	1/3 Sanding Sheet	40	Zirconium	10
	AB/THD/60Z	1/3 Sanding Sheet	60	Zirconium	10
	AB/THD/80Z	1/3 Sanding Sheet	80	Zirconium	10
	AB/THD/120A	1/3 Sanding Sheet	120	Aluminium Oxide	10
	AB/THD/180A	1/3 Sanding Sheet	180	Aluminium Oxide	10
	AB/THD/240A	1/3 Sanding Sheet	240	Aluminium Oxide	10
	AB/THD/80M	1/3 Sanding Sheet	80	Mesh	5
	AB/THD/120M	1/3 Sanding Sheet	120	Mesh	5
	AB/THD/150M	1/3 Sanding Sheet	150	Mesh	5
AB/THD/240M	1/3 Sanding Sheet	240	Mesh	5	
1/2 Sanding Sheet 	AB/HLF/40Z	1/2 Sanding Sheet	40	Zirconium	10
	AB/HLF/60Z	1/2 Sanding Sheet	60	Zirconium	10
	AB/HLF/80Z	1/2 Sanding Sheet	80	Zirconium	10
	AB/HLF/120A	1/2 Sanding Sheet	120	Aluminium Oxide	10
	AB/HLF/180A	1/2 Sanding Sheet	180	Aluminium Oxide	10
	AB/HLF/240A	1/2 Sanding Sheet	240	Aluminium Oxide	10
	AB/HLF/80M	1/2 Sanding Sheet	80	Mesh	5
	AB/HLF/120M	1/2 Sanding Sheet	120	Mesh	5
	AB/HLF/150M	1/2 Sanding Sheet	150	Mesh	5
AB/HLF/240M	1/2 Sanding Sheet	240	Mesh	5	
Sanding Belts 	AB/B75/40A	75mm x 457mm Sanding Belt	40	Aluminium Oxide	3
	AB/B75/60A	75mm x 457mm Sanding Belt	60	Aluminium Oxide	3
	AB/B75/80A	75mm x 457mm Sanding Belt	80	Aluminium Oxide	3
	AB/B75/120A	75mm x 457mm Sanding Belt	120	Aluminium Oxide	3
	AB/B75A/40A	75mm x 533mm Sanding Belt	40	Aluminium Oxide	3
	AB/B75A/60A	75mm x 533mm Sanding Belt	60	Aluminium Oxide	3
	AB/B75A/80A	75mm x 533mm Sanding Belt	80	Aluminium Oxide	3
	AB/B75A/120A	75mm x 533mm Sanding Belt	120	Aluminium Oxide	3
	AB/B100/40A	100mm x 610mm Sanding Belt	40	Aluminium Oxide	3
	AB/B100/60A	100mm x 610mm Sanding Belt	60	Aluminium Oxide	3
	AB/B100/80A	100mm x 610mm Sanding Belt	80	Aluminium Oxide	3
AB/B100/120A	100mm x 610mm Sanding Belt	120	Aluminium Oxide	3	

NEW BULK PACKS NOW AVAILABLE

Sander	Product Ref.	Type	Grit	Material	Pack Size
125mm Random Orbital Sander Disc 	AB/125/80Z/B	Universal 125mm ROS Disc	80	Zirconium	50
	AB/125/120A/B	Universal 125mm ROS Disc	120	Aluminium Oxide	50
	AB/125/180A/B	Universal 125mm ROS Disc	180	Aluminium Oxide	50
	AB/125/240A/B	Universal 125mm ROS Disc	240	Aluminium Oxide	50
	AB/125/80M/B	Universal 125mm ROS Disc	80	Mesh	50
	AB/125/120M/B	Universal 125mm ROS Disc	120	Mesh	50
	AB/125/150M/B	Universal 125mm ROS Disc	150	Mesh	50
	AB/150/240M/B	Universal 125mm ROS Disc	240	Mesh	50
150mm Random Orbital Sander Disc 	AB/150/80Z/B	Universal 150mm ROS Disc	80	Zirconium	50
	AB/150/120A/B	Universal 150mm ROS Disc	120	Aluminium Oxide	50
	AB/150/180A/B	Universal 150mm ROS Disc	180	Aluminium Oxide	50
	AB/150/240A/B	Universal 150mm ROS Disc	240	Aluminium Oxide	50
	AB/150/80M/B	Universal 150mm ROS Disc	80	Mesh	50
	AB/150/120M/B	Universal 150mm ROS Disc	120	Mesh	50
	AB/150/150M/B	Universal 150mm ROS Disc	150	Mesh	50
AB/150/240M/B	Universal 150mm ROS Disc	240	Mesh	50	

T33A WET & DRY M CLASS SITE DUST EXTRACTOR



Suitable for

- CONCRETE • WOOD DUST • PLASTERBOARD DUST
- CERAMIC DUST • WET APPLICATIONS



Certified for Professional Use



Power Tool Take Off



Powerful 1200w Motor



25 Litre Capacity



5m hose



Product Ref.
T33A - 230V
T33AL - 115V

T32 SITE DUST EXTRACTOR

M-Class 20 Litre Site Vac



Certified for Professional Use



Powerful 800w Motor



Integrated shaker button to clean filter



Dust Extraction Function



Product Ref.
T32 - 230V
T32L - 115V



YOUTUBE
Trend Tool Technology



TWITTER
@TrendToolTech



FACEBOOK
/TrendToolTechnology



INSTAGRAM
@TrendToolTechnology



LINKEDIN
Trend Tool Technology

POCKET HOLE JIGS RANGE

Multi-function jigs for new work and repair work across a range of different material thicknesses



PRODUCT DESCRIPTION	SINGLE POCKET HOLE JIG	TWIN POCKET HOLE JIG	MINI POCKET HOLE JIG	3-IN-1 POCKET HOLE JIG	POCKET HOLE JIG	PRO POCKET HOLE JIG
MATERIAL THICKNESS MIN.	12.7mm	12.7mm	16mm	12.7mm	16mm	12.7mm
MATERIAL THICKNESS MAX.	38mm	38mm	38mm	38mm	38mm	38mm
HOLE PITCH		21.5mm	18mm-54mm	28mm-50mm	29mm-63mm	30mm
DRILL DIAMETER	9.5mm	9.5mm	9.5mm	9.5mm	9.5mm	9.5mm
SQUARE DRIVE BIT SIZE	No.2	No.2	No.2	No.2	No.2	No.2
SCREW SIZE	No. 7 x 30mm 6 x 25mm 7 x 25mm 7/8 x 30mm 8 x 37mm 8 x 50mm 8 x 63mm	No. 7 x 30mm 6 x 25mm 7 x 25mm 7/8 x 30mm 8 x 37mm 8 x 50mm 8 x 63mm	No. 7 x 30mm	No. 7 x 30mm 6 x 25mm 7 x 25mm 7/8 x 30mm 8 x 37mm 8 x 50mm 8 x 63mm	No. 7 x 30mm	No. 7 x 30mm 6 x 25mm 7 x 25mm 7/8 x 30mm 8 x 37mm 8 x 50mm 8 x 63mm
FACE CLAMP REQUIRED	✓	✓	✓	✓	✓ Supplied	✓ Supplied
DUST EXTRACTION SPOUT						✓
QUICK RELEASE HANDLE					✓	✓
UNDERSIDE T SLOT						12.2/8.4mm x 6mm
REMOVABLE BASE FOR FLUSH WORK	✓	✓	✓	✓		✓
STORAGE DEVICE	Box	Box	Box	Case	Box	Bag



Multiple Applications




Fast Set-Up



Strong Joints

Jig Product Ref.	Description
PH/JIG/BS	Single Pocket Hole Jig
PH/JIG/C	Twin Pocket Hole Jig
PH/JIG/M	Mini Pocket Hole Jig
PH/JIG/BK	3-in-1 Pocket Hole Jig
PH/JIG	Pocket Hole Jig
PH/JIG/AK	Pro Pocket Hole Jig

Mini Pocket Hole Jig



Pocket Hole Jig



Pro Pocket Hole Jig



3-in-1 Pocket Hole Jig



Twin Pocket Hole Jig



Single Pocket Hole Jig



Visit trend-uk.com to view our product videos

INFLATABLE WEDGE



DURABLE MATERIAL Heavy-duty fibre reinforced Thermoplastic Polyurethane material to resist abrasion

NON MARRING Ideal for easily marked surfaces

SAFETY VALVE Safely maintains the pressure within the Inflatable Wedge when inflating and allows controlled release when deflating

Product Ref. I/WEDGE

Product Ref. I/WEDGE/2PK



AS PRO STORAGE SYSTEM



IP66 Certified Dust & Water Resistant

MAX Maximum Impact Resistance

PA Durable Polyamide Latches/Connectors

50 KG Max. Weight Per Box

Modular & Stackable




PRO STORAGE ORGANISERS

The Pro Storage System gives versatility & convenience for the challenging site environment.

Impact Resistant Organiser Lid

Flexible & Compact

Modular & Stackable



PRO ORGANISER M

263 x 363 x 77mm* – 2.5 litres
• 6 individual lift out storage bins

x6



Product Ref. MS/P/ORG/M

PART OF PRO STORAGE

PRO ORGANISER L

531 x 375 x 77mm* – 6 litres
• 12 individual lift out storage bins

x12



Product Ref. MS/P/ORG/L

PART OF PRO STORAGE

PRO ORGANISER XL

582 x 387 x 131mm* – 13.5 litres
• 4 large and 8 medium-lift out storage bins

x12



Product Ref. MS/P/ORG/XL

PART OF PRO STORAGE

*External dimensions



THE MOST COMPREHENSIVE CUTTER RANGE ON THE MARKET

OVER 2000 CUTTERS



Market Leading Cutter Ranges



Over 2000 Cutters in the Range



Long Shanks



Available in 1/2" & 1/4" Shank Sizes




Safety Standard



K Mark for Safe Cutter Usage














Cutters Over 16mm Diameter have Anti-Kickback and Cut Limiter Safety Features



ROUTER CUTTER FEATURES

*Cutters above & including 9.5mmØ have TCT plunge centre tip.

 RANGE	 TUNGSTEN CARBIDE TIPPED	 RADIAL GRIND FOR INCREASED STRENGTH	 1200 GRIT MIRROR FINISH TIP FACE	 *TCT PLUNGE CENTRE TIP	 NON-STICK COATING FOR LONGER LIFE	 LONG SHANKS	 HIGHLY GROUND TIP FACE	 K MARK FOR SAFE CUTTER USAGE	 SAFETY STANDARD	 HRA HARDNESS
PROFESSIONAL	✓	✓	✓	✓		✓	✓	✓	✓	92.5 - 93.5
CRAFTPRO	✓				✓	✓	✓	✓	✓	91.5 - 92.5

PROFESSIONAL

The most popular range of Tungsten Carbide Tipped cutters in the UK. For the most demanding applications in the manufacturing & woodworking trades.

CRAFTPRO

Specially designed PTFE coated TCT tooling to meet the needs of the woodworker & tradesman for quality & performance.



WITH OVER 1700 LINES IN THE PROFESSIONAL & OVER 500 LINES IN THE CRAFTPRO RANGE

Visit trend-uk.com to view our product videos

trend[®]
tool technology

FOLLOW US ON:



INSTAGRAM
@TrendToolTechnology



FACEBOOK
/TrendToolTechnology



TWITTER
@TrendToolTech



YOUTUBE
Trend Tool Technology



LINKEDIN
Trend Tool Technology





trend[®]
tool technology

SMART BENCH

THE COMPLETE SOLUTION


Full 8' x 4' sheet size CNC router. With a 3 minute setup time, the SmartBench transforms routing by bringing precise machining to the jobsite. Perfect for both complex & repetitive tasks. Accurate with a tolerance of + / - 0.5mm.




WIFI
ENABLED



TOUCH
SCREEN



3D PRINTING
TECHNOLOGY




CABINETRY



SIGNAGE



DECORATIVE PANELS



CUTS A WIDE RANGE
OF MATERIALS

CNC SMARTBENCH

CNC/YETI/SB1	Standalone CNC SmartBench
CNC/YETI/SB1S	Includes CNC SmartBench + VCarve Pro Software
CNC/YETI/SB1K	Includes CNC SmartBench + T35A Wet & Dry Vacuum Extractor + VCarve Pro Software

CNC SMARTBENCH PRECISION PRO

CNC/YETP/SB1	Standalone CNC SmartBench Precision Pro
CNC/YETP/SB1S	Includes CNC SmartBench Precision Pro + VCarve Pro Software
CNC/YETP/SB1K	Includes CNC SmartBench Precision Pro + T35A Wet & Dry Vacuum Extractor + VCarve Pro Software



PLEASE VISIT

TREND-UK.COM/SMARTBENCH

TO BOOK YOUR **FREE** ONLINE DEMONSTRATION