

PROFILE SCRIBING



TCT
TUNGSTEN
CARBIDE
TIPPED



COMBINATION

- The classic method of producing cabinet panelled door and drawer fronts is made easy with these Profile Scriber sets.
- With the combination type, components are re-arranged on the arbor to cut the profile or the scribe.
- The Easysset system works by altering the height of the cutter. See opposite page for full details.
- For a range of complimentary panel mould cutters please see pages 50-51 for Raised Panel Moulding.

- ⚠ When using PSC sets at the minimum material thickness, the height of the top quirk may be reduced.
- ⚠ Router table use only. **18,000**





BEARING GUIDED CLASSIC SET



Ref. PSC/2
Set-up for scribing.




Timber thickness
With 4.0 groover
Min. 18.0mm
Max. 22.0mm



R mm	D mm	C mm	C2 mm	B mm	Product Ref.	Shank Dia. 1/2"
5.9	46.0	15.0	4.0	22.0	PSC/2	£82.36


BEARING GUIDED CLASSIC DECOR



Ref. PSC/4
Set-up for scribing.




Timber thickness
With 6.3 groover
Min. 21.0mm
Max. 26.5mm
With 4.0 groover
Min. 18.0mm
Max. 22.0mm



R mm	D mm	C mm	C2 mm	B mm	Product Ref.	Shank Dia. 1/2"
4.7	46.0	15.0	4.0	22.0	PSC/4	£82.36 +
4.7	46.0	15.0	6.3	22.0	PSC/40	£82.36 +


BEARING GUIDED RAISED BEVEL



Ref. PSC/50
Set-up for scribing.



Timber thickness
With 4.0 groover
Min. 16.0mm
Max. 18.0mm



A Deg.	D mm	C mm	C2 mm	B mm	Product Ref.	Shank Dia. 1/2"
10°	41.0	11.0	4.0	22.0	PSC/50	£82.36 +

+ While stocks last

⚠ Router Table use only at max. recommended speeds as indicated.