



NEW

COMBI TRIMMER

- For trimming top & lip.
- Performs 3 functions:
 1. To top trim the overlay at 90°.
 2. To trim the overlay at 60°.
 3. The base of the cutter can trim the vertical lipping at 90°.
- Requires side-fence or roller bearing.



| A Deg. | A2 Deg. | D mm | C mm | Product Ref. | Shank Dia. 1/4" |
|--------|---------|------|------|--------------|-----------------|
| 60° | 90° | 12.7 | 12.7 | C047A | £21.58 |


BEVEL TRIMMER

Ref. C119 and C119B are bearing guided and give a smooth bevel finish on laminates and other materials. Bearing follows the board beneath.

Refs. C046 to C048 are two flute cutters for producing extra clean cut bevelled edges. No plunge cut.



Ref. C119



Ref. C048

BEARING GUIDED



| A Deg. | C mm | B mm | Product Ref. | Shank Dia. 1/4" |
|--------|------|------|--------------|-----------------|
| 65° | 6.3 | 12.7 | C119 | £16.67 |
| 75° | 6.3 | 12.7 | C119B | £19.01 |

WITHOUT BEARING

| A Deg. | D mm | C mm | Product Ref. | Shank Dia. 1/4" |
|--------|------|------|--------------|-----------------|
| 67° | 22.2 | 10.0 | C046 | £18.79 |
| 60° | 25.4 | 10.0 | C047 | £22.23 |
| 45° | 34.9 | 10.0 | C048 | £29.90 |

GUIDED PIERCE & TRIM



Cuts out apertures in laminate worktops. The nose of the cutter acts as a guide follower.



| D mm | C mm | Product Ref. | Shank Diameter 1/4" | 8mm | 1/2" |
|------|------|--------------|---------------------|--------|--------|
| 6.3 | 18.0 | C135 | £18.79 | £18.79 | - |
| 12.7 | 30.0 | C135A | - | - | £32.13 |

7° TRIPLE FLUTE BEVEL TRIMMER

Three flute self-guiding for extra fine trimming of laminate.



| A Deg. | C mm | B mm | Product Ref. | Shank Dia. 1/4" |
|--------|------|------|--------------|-----------------|
| 83° | 14.0 | 12.7 | C119A | £35.73 |


TCT DRAWER PULL

TUNGSTEN CARBIDE TIPPED

An initial cut with a straight cutter is required to produce this effect.



Ref. C305



| R mm | R2 mm | D mm | D2 mm | C mm | Product Ref. | Shank Dia. 1/4" | 1/2" |
|------|-------|------|-------|------|--------------|-----------------|--------|
| 4.0 | - | 19.0 | - | 13.0 | C305 | £63.60 | - |
| 5.0 | 2.0 | 45.0 | 24.0 | 17.0 | C282 | - | £79.95 |
| 6.0 | - | 38.0 | 22.0 | 17.0 | C281 | - | £64.95 |



Ref. C281

All prices are exclusive of VAT

! For stationary machines at max. recommended speeds as indicated.