



TWO FLUTE STRAIGHT



- Suitable for a wide range of applications such as engraving, grooving, rebating and shallow mortising.
- Use on softwoods, hardwoods, MDF, plywood and chipboard.
- All cutters have a bottom cut feature.

KEY TO PRODUCT REFERENCES

Suffix M = Short shank for Makita 3600B & 3612BR, Ryobi and Hitachi routers.

- ★ These cutters have Solid Carbide inserts rather than brazed tips.
- ❖ Centre tip for plunge cutting in abrasive materials.
- H Extra long shank 70mm overall length suitable for Trend Hinge Jigs.
- W For use with Trend Worktop Jigs.
- L For use with Trend Lock Jigs.

Note Dimensions in **bold** denote exact size.



Ref. C002



Ref. C030



D inch	D mm	C inch	C mm	Product Ref.	Shank Diameter			
					1/4"	8mm	12mm	1/2"
5/64	2.0	-	5.0	C001C	★£14.67	-	-	-
-	2.5	5/16	8.0	C001E	★£13.93	-	-	-
-	3.0	3/8	9.5	C001A	★£11.51	★£11.51	-	-
1/8	3.2	3/8	9.5	C001	★£14.67	-	-	-
1/8	3.2	1/2	12.7	C001B	★£15.25	-	-	-
5/32	4.0	7/16	11.1	C002	★£14.05	-	-	-
3/16	4.8	7/16	11.1	C003	★£14.05	-	-	-
13/64	5.0	5/8	16.0	C004	★£9.58	★£9.58	-	-
15/64	6.0	5/8	16.0	C005	£10.17	£10.17	-	£12.11
-	6.0	-	20.0	C005B	£10.90	-	-	-
-	6.0	-	25.0	C005A	-	£10.90	-	-
1/4	6.3	1/2	12.7	C006	£10.90	-	-	-
1/4	6.3	5/8	15.9	C006A	£9.58	-	-	-
1/4	6.3	3/4	19.1	C007	£9.58	£9.58	-	-
1/4	6.3	1	25.4	C008	£12.11	£12.11	-	£12.11
9/32	7.1	3/4	19.1	C009	£9.58	-	-	-
9/32	7.1	1	25.4	C010	£12.11	-	-	-
5/16	7.9	3/4	19.1	C011	£10.90	£10.90	-	-
5/16	7.9	1	25.4	C012	£12.11	£12.11	-	£12.11
-	8.0	-	25.0	C012A	£12.11	£12.11	-	-
23/64	9.0	3/4	19.0	C012B	£11.51	-	-	£14.53
3/8	9.5	3/4	19.1	C013	£12.11	-	-	£11.70
3/8	9.5	1	25.4	C014	£12.73	-	-	£12.30
3/8	9.5	1-1/4	31.8	C015	£14.05	£14.05	-	£12.73
25/64	10.0	3/4	19.1	C016	£14.42	£14.42	-	£14.42
25/64	10.0	1	25.0	C016C	£16.35	-	-	£16.35
25/64	10.0	-	35.0	C016A	-	-	-	£14.05
25/64	10.0	1-1/4	32.0	C016B	-	£14.05	-	-
7/16	11.1	3/4	19.1	C017	£14.42	-	-	-
7/16	11.1	1	25.4	C018	£14.05	-	-	-
7/16	11.1	1-1/4	32.0	C018A	£14.67	-	-	-
15/32	12.0	3/4	19.1	C019	£14.05	-	-	£16.96
15/32	12.0	3/4	19.0	C019A	H★£18.53	H★£18.53	-	-
15/32	12.0	1	25.0	C019B	-	-	-	£16.96
15/32	12.0	1-1/4	32.0	C171	£16.60	£16.60	-	£18.53
15/32	12.0	1-1/2	38.0	C171A	-	-	-	£19.37
15/32	12.0	2	50.0	C200	-	-	-	£15.99
15/32	12.0	2	50.0	C200D	-	-	❖£23.60	❖£23.60
15/32	12.0	2-1/2	63.0	C172	-	-	£23.60	L£23.60
15/32	12.0	2-1/2	63.0	C172M	-	-	-	£28.70
31/64	12.55	1	25.4	C021A	£14.67	£14.67	-	-
1/2	12.7	1/2	12.7	C124	£10.90	-	-	-
1/2	12.7	3/4	19.1	C020	£14.05	-	-	-
1/2	12.7	1	25.4	C021	£15.25	£15.25	-	£15.25
1/2	12.7	1-1/4	31.8	C022	£16.60	£16.60	-	£18.53
1/2	12.7	1-1/2	38.0	C022A	-	-	-	£19.74
1/2	12.7	2	50.0	C153	-	-	-	w£16.60
1/2	12.7	2	50.0	C153D	-	-	w❖£26.16	w❖£26.16
1/2	12.7	2	50.0	C153M	-	-	-	w£16.60

D inch	D mm	C inch	C mm	Product Ref.	Shank Diameter			
					1/4"	8mm	12mm	1/2"
1/2	12.7	2-1/2	63.0	C164	-	-	w	£23.60
9/16	14.3	3/4	19.1	C023	£16.60	-	-	-
-	14.0	3/4	19.0	C023A	£15.99	£15.99	-	-
-	14.0	-	25.0	C023B	-	£16.60	-	-
-	14.0	-	50.0	C023C	-	-	-	£32.70
9/16	14.3	1	25.4	C024	£16.60	-	-	-
-	15.0	-	25.0	C024A	£15.63	-	-	£16.96
19/32	15.0	1-3/8	35.0	C024B	-	-	-	£18.15
19/32	15.0	2	50.0	C024C	-	-	-	£32.70
5/8	15.9	1/2	12.7	C125	£12.11	-	-	-
5/8	15.9	3/4	19.1	C025	£16.60	-	-	-
5/8	15.9	1	25.4	C026	£17.19	£17.19	£17.19	-
5/8	15.9	1-1/4	32.0	C025C	-	-	-	£25.43
5/8	15.9	2-1/4	63.0	C025E	-	-	-	£38.76
5/8	16.0	3/4	19.0	C025A	£16.60	£16.60	£19.37	-
5/8	16.0	-	25.0	C025B	-	£17.19	-	-
5/8	16.0	2	51.0	C025D	-	-	-	£34.39
11/16	17.5	3/4	19.1	C027	£15.25	-	-	-
11/16	17.5	1	25.4	C028	£15.25	-	-	-
-	18.0	-	25.0	C028A	£16.60	£16.60	£20.59	-
23/32	18.2	3/4	19.1	C028B	-	-	-	£20.08
3/4	19.1	3/4	19.1	C029	£15.25	£15.25	-	-
3/4	19.1	1	25.4	C030	£16.60	-	-	£16.60
3/4	19.1	2	50.0	C030B	-	-	-	£33.90
-	20.0	-	20.0	C030A	£16.60	£16.60	-	-
-	20.0	1	25.0	C030C	-	-	-	£21.80
13/16	20.6	3/4	19.1	C031	£16.60	-	-	-
53/64	21.0	3/4	19.0	C031B	£16.19	-	-	-
7/8	22.2	3/4	19.1	C032	£16.60	-	-	-
-	25.0	3/4	19.0	C033A	£19.74	£19.74	-	-
1	25.4	3/4	19.1	C033	£19.74	-	-	£19.74
1	25.4	1	25.0	C033B	-	-	-	£26.65
1	25.4	17/16	37.0	C033C	-	-	-	£39.96
1-1/32	26.0	1	25.0	C033E	-	-	-	£35.11
1-1/16	27.0	1-1/4	32.0	C033F	-	-	-	£36.33
1-7/64	28.0	1	25.0	C033G	-	-	-	£39.96
1-1/8	28.5	1	25.0	C033H	-	-	-	£39.96
1-3/16	30.0	1	25.0	C033J	-	-	-	£41.17
1-1/4	31.8	1	25.0	C033K	-	-	-	£41.17
1-3/8	35.0	1	25.0	C033N	-	-	-	£43.60
1-1/2	38.1	1	25.0	C033P	-	-	-	£50.86
1-37/64	40.0	1	25.0	C033Q	-	-	-	£53.29
1-5/8	41.3	1	25.0	C033R	-	-	-	£47.22
1-3/4	44.5	1	25.0	C033T	-	-	-	£54.50
1-7/8	47.6	1	25.0	C033V	!	-	-	£54.50
1-31/32	50	1	25.0	C033W	!	-	-	£55.69
2	50.8	1	25.0	C033Y	!	-	-	£55.69

SINGLE FLUTE STRAIGHT

- Single fluted Tungsten Carbide straight cutters for fast free cutting.
- Single flutes should be chosen where speed and clearance rates are more important than the finish.
- Depth of cut should not exceed cutter diameter.

Applications for Straight Router Cutters



Ref. C038



D inch	D mm	C inch	C mm	Product Ref.	Shank Dia. 1/4"
-	1.5	-	6.0	C034B	★ £16.35
5/64	2.0	-	5.0	C034A	★ £12.73
-	3.0	7/16	11.0	C034C	★ £17.57
1/8	3.2	7/16	11.1	C034	★ £12.11
5/32	4.0	7/16	11.1	C035	★ £12.11
3/16	4.8	7/16	11.1	C036	★ £14.05
1/4	6.3	1/2	12.7	C037	£10.17
1/4	6.3	3/4	19.1	C038	£12.11
1/4	6.3	1	25.4	C039	£12.11

MORTISE & TENON CUTTER SETS

- Set of five long reach straight cutters with diameters of 1/4" to 5/8".
- Suitable for use with the Trend Mortise & Tenon Jig.
- Each set comprises one of each of the individual cutters below.



Ref. C022



Double loose tenon



Dowel joints

D inch	D mm	C inch	C mm	Product Ref.
1/4	6.3	1	25.4	C008
5/16	7.9	1	25.4	C012
3/8	9.5	1-1/4	31.8	C015
1/2	12.7	1-1/4	31.8	C022
5/8	15.8	1	25.4	C026

Sets comprising cutters above

With 1/4" shank

SET/MT1X1/4TC

With 8mm shank

SET/MT1X8MMTC

With 1/2" shank

SET/MT1X1/2TC

See page 147 for full details.

ASSOCIATED PRODUCTS

MORTISE & TENON JIG


See page 147 for full details.



Product Ref. **MT/JIG**

COMPLETE ROUTING BOOK


An essential read for all router users. Written by Alan Holtham. See page 227 for full details.



Product Ref. **BOOK/CR**

KITCHEN FITTERS PACKS FOR KITCHEN WORKTOPS

TCT
TUNGSTEN CARBIDE TIPPED



Packs of cutters aimed at kitchen fitters. Packs include 1/2" diameter worktop cutters.

PACK 1 - 4 piece Product Ref. Price

CR/KFP/1 £74.48

Comprises:	D mm	C mm	Product Ref.
2x worktop cutter	12.7	50.0	C153DX1/2TC
1x long worktop cutter	12.7	63.0	C164X1/2TC
1x laminate trimmer	12.7	25.4	C116X1/4TC



PACK 2 - 4 piece Product Ref. Price

CR/KFP/2 £85.86

Comprises:	D mm	C mm	Product Ref.
2x worktop cutter	12.7	50.0	C153DX1/2TC
1x laminate trimmer	12.7	25.4	C116X1/4TC
1x biscuit jointer	37.2	4.0	C152X1/2TC

Includes bearings for No.0, No.10 & No.20 biscuits.



PACK 3 - 15 piece Product Ref. Price

CR/KFP/3 £64.90

Comprises:	D mm	C mm	Product Ref.
1x worktop cutter	12.7	50.0	C153DX1/2TC
1x biscuit jointer	37.2	4.0	C152X1/2TC
3x metal connecting bolts			
10x No. 20 biscuits			

Includes bearings for No.0, No.10 & No.20 biscuits.



PACK 4 - 5 piece (with TC centre tip) Product Ref. Price

CR/KFP/4 £103.06

Comprises:	D mm	C mm	Product Ref.
5x worktop cutter	12.7	50.0	C153DX1/2TC



PACK 5 - 5 piece (no centre tip) Product Ref. Price

CR/KFP/5 £71.93

Comprises:	D mm	C mm	Product Ref.
5x worktop cutter	12.7	50.0	C153X1/2TC



PACK 6 - 8 piece Product Ref. Price

CR/KFP/6 £50.86

Comprises:	D mm	C mm	Product Ref.
2x worktop cutter	12.7	50.0	C153DX1/2TC
6x metal connecting bolts			



TWO FLUTE METRIC SCALE


- Suitable for a wide range of applications such as grooving, rebating and shallow mortising.
- Etched with metric scale on body to aid depth setting.
- Use on softwoods, hardwoods, MDF, plywood and chipboard.
- All cutters have a bottom cut feature.



D inch	D mm	C inch	C mm	Product Ref.	Shank Diameter 1/4"	Shank Diameter 1/2"
25/64	10.0	3/4	19.0	C016S	£15.25	-
1/2	12.7	1	25.4	C021S	£16.60	£16.60
1/2	12.7	2	50.8	C153S	-	£17.81

MORTISER

- TCT cutter with staggered cutting tips.
 - Deep mortising and grooving giving good chip clearance.
 - For lock mortising, two width cuts will be needed to achieve the standard 19mm mortise.
 - Will plunge and clear chips to a depth of 70mm in a number of passes.
- ▲ Take several passes to avoid cutter breakage and motor overload.




D mm	C mm	OL mm	Product Ref.	Shank Dia. 1/2"
16.0	50.0	101.0	C194	£31.24

TWO FLUTE POCKET CUTTER

- Two flute cutter with extra long shank.
 - Deep grooving, rebating and mortising.
 - Useful for template work when thickness of template restricts depth.
- ▲ Extra care must be taken to avoid breakage. Take more passes than usual, and only cut up to half the diameter of the cutter in one pass.



Tools with recessed shank, allow deeper cuts.




D inch	D mm	C mm	C2 mm	OL mm	Product Ref.	Shank Dia. 1/4"
1/4	6.3	19.0	19.0	70.0	C007L	£16.96

HINGE RECESSER

- Two flute TC cutters giving good chip clearance.
- Ideal for shallow lateral routing cuts such as recessing hinges.
- Corners will require final trimming square with a hand chisel or a corner chisel.






Ref. C236



D inch	D mm	C mm	OL mm	Product Ref.	Shank Dia. 1/4"
1/2	12.7	19.0	60.0	C235	£18.15
5/8	15.9	19.0	60.0	C236	£18.77
3/4	19.1	19.0	60.0	C237	£19.98

SHANK MOUNTED BEARING GUIDED HOUSING CUTTER

- Creates grooves and trenches in boards.
- Bearing follows template.
- For rebating and housings.



D mm	C mm	B mm	Product Ref.	Shank Diameter 1/4"	Shank Diameter 1/2"
19.1	11.1	19.1	C226	£30.28	£30.28