


CRAFTPRO SAWBLADES

TCT
TUNGSTEN
CARBIDE
TIPPED

CRAFTPRO
sawblades

The **CRAFTPRO** range of sawblades are designed for a professional finish in wood, MDF, particle board, hardboard & plywood.

- Microgranular Tungsten Carbide Tipped to allow cutting of abrasive materials.
- Blade sizes from 125mm to 350mm catering for cordless trim saws to bench saws.



Reamed bore to ensure precise fit to spindle.

Wood cutting blades have front bevel tooth form for a superior quality of cut.

Silverbrazed to ensure tip is bonded securely to body.

Microgranular Tungsten Carbide Tipped to allow cutting of abrasive materials.

Specific sawblades with anti-kickback tooth design.

Body hardened and tempered to maintain trueness.

Laser etched on reverse to European standard EN847-1. The Trend name for traceability and a guarantee of quality.

Blades 250mmØ and above are roller tensioned to prevent distortion when blade is under stress when rotating and cutting.

High grade alloy steel plate body precision ground to maintain flatness.



Colour label denotes blade group for easy selection of blade for correct finish on material and type of sawing machine used.

Sawblades up to 260mmØ are safely stored in clamshell packaging. Blades over 260mmØ are supplied in cartons.

COLOUR CODE KEY

UNIVERSAL RIP (RP)

● **Coarse finish** suitable for: ripping of softwood, hardwood, plywood, and exotic timber.




Softwood rip

Hardwood & exotic rip

Plywood rip

GENERAL PURPOSE (GP)

● **Medium/coarse finish** suitable for: ripping of softwood, hardwood, fibre board, plasterboard, cement bonded board and exotic timber.



Softwood rip

Hardwood & exotic rip


Plasterboard and stone fibre board & Cement bonded board

Particle board

MDF

COMBINATION (CM)

● **Medium finish** suitable for: softwood, hardwood, plywood, soft fibre board, exotic timber, cement bonded board and plasterboard.



Softwood rip & crosscut

Hardwood & exotic rip and crosscut

Plasterboard and stone fibre board & Cement bonded board

Plywood rip & crosscut


Soft fibre board

Particle board

MDF

PANEL TRIMMING (PT)

● **Super fine finish** suitable for: hardwood, particle boards with plastic laminates on one side and MDF.




Chipboard laminated one-sided

Particle board

MDF

FINE TRIM / FINISHING (FT)

● **Extra fine finish** suitable for: hardwood, softwood, exotic timber, double-sided veneer board, single-sided laminate materials, MDF, particle board and hardboards.



Softwood crosscut

Hardwood crosscut

Boards veneered both sides

Plywood rip & crosscut

Chipboard laminated one-sided


MDF

Hardboard

Veneers

TRIMMING / CROSSCUT (TR)

● **Medium/fine finish** suitable for: softwood, hardwood, plywood, double-sided veneer board, single-sided plastic laminate boards, MDF, particle board and hardboards.



Softwood crosscut

Hardwood crosscut

Boards veneered both sides

Plywood rip & crosscut

Chipboard laminated one-sided

MDF

Particle board

Hardboard

Veneers

WOOD & WOOD BASED MATERIALS

Less teeth (RP, GP)

- Preferred for ripping along the grain of hard and softwood and other wood based material.
- Coarser finish.
- Faster feed rate.

More teeth (CM, TR, FT)


- Preferred for cutting across grain of hard and softwood.
- Finer finish.
- Slower feed rate.

Suitable for:

- Softwood
- Hardwood
- Particle board
- MDF
- Hardboard
- Plywood



ALTERNATE TOP BEVEL TOOTH FORM



Teeth have top and front bevel which allows the blade to bite into the timber more easily.

* Blades have flat tooth form.

ASSOCIATED PRODUCTS

TRENDIWAX

Use Trendiwax lubricant when cutting aluminium. Clamp component securely and wear gloves. See page 226.



Product Ref.
TRENDIWAX

TOOL & BIT CLEANER

Use Trend Tool & Bit Cleaner to remove resin and pitch build-up and prolong the life of your sawblades. See page 227.



Product Ref.
CLEAN/500

ANGLEFIX

Use the Anglefix Mitre Guide for easy cutting of angles. See page 216.

Product Ref.
ANGLEFIX



Blade Type	Quick Selector No.	Dia. mm	Dia. inch Nom	No. of Teeth	Bore mm	Bushing Washer mm	Kerf mm	Plate mm	Product Ref.	Price
●	1	125	5	12	20	12.7	2.4	1.5	CSB/12512	£18.53
●	1	125	5	24	20	12.7	2.4	1.5	CSB/12524	£19.74
●	2	130	5-1/8	12	20	16	2.4	1.5	CSB/13012	£20.34
●	2	130	5-1/8	24	20	16	2.4	1.5	CSB/13024	£23.60
●	2A	134	5-1/4	12	20	-	1.7	1.0	CSB/13412	£20.34
●	2A	134	5-1/4	24	20	-	1.7	1.0	CSB/13424	£23.60
●	3	140	5-1/2	12	20	12.7 or 16	2.4	1.5	CSB/14012	£20.34
●	3	140	5-1/2	24	20	12.7 or 16	2.4	1.5	CSB/14024	£23.60
●	5	150	6	12	20	16	2.4	1.5	CSB/15012	£20.34
●	4.2	150	6	12	30	-	2.4	1.5	CSB/15012A	£20.34
●	5	150	6	24	20	16	2.4	1.5	CSB/15024	£21.68
●	5A	153	6	24	20	-	2.4	1.5	CSB/15324	£21.68
●	7.1	160	6-1/4	12	20	-	2.2	1.6	CSB/16012A	£23.95
●	7	160	6-1/4	12	20	16	2.4	1.5	CSB/16012	£24.22
●	7.1	160	6-1/4	24	20	-	2.2	1.6	CSB/16024A	£24.95
●	7	160	6-1/4	24	20	16	2.4	1.5	CSB/16024	£24.22
●	7.1	160	6-1/4	28	20	-	2.2	1.6	CSB/16028A	£24.22
●	7.1	160	6-1/4	36	20	-	2.2	1.6	CSB/16036	£25.95
●	7	160	6-1/4	48	20	16	2.4	1.5	CSB/16048	£28.70
●	7.1	160	6-1/4	48	20	-	2.2	1.6	CSB/16048A	£27.32
●	8D	162	6-3/8	48	20	-	1.8	1.2	CSB/16248	£24.22
●	8C	165	6-1/2	12	30	16 or 20	2.4	1.5	CSB/16512	£24.22
●	8C	165	6-1/2	18	30	16 or 20	2.4	1.5	CSB/16518	£24.22
●	8C	165	6-1/2	24	30	16 or 20	2.4	1.5	CSB/16524	£24.83
●	8B.1	165	6-1/2	48	20	-	2.2	1.6	CSB/16548B	£25.96
●	8C	165	6-1/2	48	30	16 or 20	2.4	1.5	CSB/16548	£28.69
●	8B.1	165	6-1/2	60	20	-	2.2	1.6	CSB/16560	£28.95
●	9.1	170	6-11/16	24	16	-	2.4	1.5	CSB/17024	£24.19
●	11	180	7	24	30	16 or 20	2.4	1.5	CSB/18024	£24.83
●	11	180	7	30	30	16 or 20	2.4	1.5	CSB/18030	£26.76
●	11	180	7	40	30	16 or 20	2.4	1.5	CSB/18040	£27.36
●	12	184	7-1/4	24	16	-	2.6	1.7	CSB/18424	£25.43
●	12.2	184	7-1/4	24	30	-	2.6	1.7	CSB/18424A	£25.43
●	12	184	7-1/4	30	16	-	2.6	1.7	CSB/18430	£26.76
●	12.2	184	7-1/4	30	30	-	2.6	1.7	CSB/18430A	£26.76
●	12	184	7-1/4	40	16	-	2.6	1.7	CSB/18440	£27.36
●	12.2	184	7-1/4	40	30	-	2.6	1.7	CSB/18440A	£27.73
●	12.1	184	7-1/4	40	20	-	2.6	1.7	CSB/18440B	£26.04
●	12.2	184	7-1/4	58	30	-	2.6	1.7	CSB/18458	£31.24
●	15	190	7-1/2	12	30	16 or 20	2.4	1.6	CSB/19012	£19.74
●	15	190	7-1/2	24	30	16 or 20	2.6	1.7	CSB/19024	£25.43
●	13	190	7-1/2	24	16	-	2.6	1.7	CSB/19024A	£25.43
●	15	190	7-1/2	40	30	16 or 20	2.6	1.7	CSB/19040	£27.36
●	13	190	7-1/2	40	16	-	2.6	1.7	CSB/19040A	£27.36
●	15	190	7-1/2	60	30	16 or 20	2.8	1.9	CSB/19060	£26.04
●	16	200	8	24	30	16 or 20	2.6	1.7	CSB/20024	£27.36
●	16	200	8	40	30	16 or 20	2.6	1.7	CSB/20040	£29.91
●	18	210	8-1/4	24	30	25	2.4	1.6	CSB/21024	£29.91
●	18	210	8-1/4	48	30	25	2.4	1.6	CSB/21048	£33.08
●	18A	215	8-1/2	24	30	-	2.6	1.7	CSB/21524	£30.51
●	18A	215	8-1/2	48	30	-	2.6	1.7	CSB/21548	£36.33
●	18A	215	8-1/2	60	30	-	2.6	1.7	CSB/21560	£38.16
●	20	220	8-5/8	48	30	-	2.4	1.6	CSB/22048	£34.39
●	21	230	9	24	30	-	2.6	1.7	CSB/23024	£33.08
●	21	230	9	40	30	-	2.6	1.7	CSB/23040	£35.00
●	23	235	9-1/4	24	30	16 or 25	2.6	1.7	CSB/23524	£33.08
●	23	235	9-1/4	40	30	16 or 25	2.6	1.7	CSB/23540	£35.00
●	25	250	10 nom.	24	30	16, 20 or 25.4	3.0	2.0	CSB/25024	£34.39
●	25	250	10 nom.	30	30	16, 20 or 25.4	3.0	2.0	CSB/25030	£38.88
●	25	250	10 nom.	48	30	16, 20 or 25.4	3.0	2.0	CSB/25048	£41.41
●	25	250	10 nom.	60	30	16, 20 or 25.4	3.0	2.0	CSB/25060	£43.96
●	25	250	10 nom.	80	30	16, 20 or 25.4	3.0	2.0	CSB/25080	£49.05
●	29	300	11-7/8	24	30	-	2.8	1.8	CSB/30024 *	£42.02
●	29	300	11-7/8	32	30	-	3.2	2.2	CSB/30032	£46.50
●	29	300	11-7/8	48	30	-	2.8	1.8	CSB/30048	£48.32
●	29	300	11-7/8	72	30	-	2.8	1.8	CSB/30072	£61.03
●	29	300	11-7/8	96	30	-	2.8	1.8	CSB/30096	£64.13
●	31	315	12-3/8	24	30	-	3.2	2.2	CSB/31524	£45.68
●	31	315	12-3/8	48	30	-	3.2	2.2	CSB/31548	£51.59
●	31	315	12-3/8	72	30	-	3.2	2.2	CSB/31572	£85.86
●	32	350	13-3/4	28	30	-	3.0	2.2	CSB/35028 *	£54.74
●	32	350	13-3/4	64	30	-	2.8	1.8	CSB/35064	£70.34




NON-STICK COATED BLADES

Non-stick PTFE coat to prevent resin build-up and increase sawblade life.



Blade Type	Quick Selector No.	Dia. mm	Dia. inch Nom	No. of Teeth	Bore mm	Bushing Washer mm	Kerf mm	Plate mm	Product Ref.	Price
●	7	160	6-1/4	24	20	16	2.4	1.5	CSB/TC16024	£25.43
●	15	190	7-1/2	24	30	16 or 20	2.6	1.7	CSB/TC19024	£26.76
●	15	190	7-1/2	40	30	16 or 20	2.6	1.7	CSB/TC19040	£31.24
●	23	235	9-1/4	24	30	16 or 25	2.6	1.7	CSB/TC23524 +	£33.79
●	23	235	9-1/4	40	30	16 or 25	2.6	1.7	CSB/TC23540 +	£35.18
●	25	250	10	60	30	16, 20 or 25.4	3.0	2.0	CSB/TC25060	£49.05

ALTERNATE TOP BEVEL TOOTH FORM



Blade Type	Quick Selector No.	Dia. mm	Dia. inch Nom	No. of Teeth	Bore mm	Bushing Washer mm	Kerf mm	Plate mm	Product Ref.	Price
●	0	120	4-3/4	24	20	-	1.8	1.2	CSB/12024T	£18.98
●	T2B	136	5-3/8	12	10	-	1.5	1.0	CSB/13612T	£20.34
●	T2B.1	136	5-3/8	12	20	-	1.5	1.0	CSB/13612TA	£20.34
●	T2B	136	5-3/8	24	10	-	1.5	1.0	CSB/13624T	£23.60
●	T2B.1	136	5-3/8	24	20	-	1.5	1.0	CSB/13624TA	£23.60
●	T2C	138	5-3/8	12	10	-	1.5	1.2	CSB/13812T +	£18.99
●	T2C	138	5-3/8	24	10	-	1.5	1.2	CSB/13824T	£23.60
●	T4.1	150	6	12	10	-	1.5	1.0	CSB/15012TB +	£20.34
●	T4.1	150	6	24	10	-	1.5	1.0	CSB/15024TB	£24.22
●	T6	160	6-1/4	12	16	-	1.5	1.0	CSB/16012T +	£22.27
●	T6	160	6-1/4	24	16	-	1.5	1.0	CSB/16024T	£22.27
●	T8A	165	6-1/2	12	10	-	1.5	1.0	CSB/16512TA	£24.22
●	T8A	165	6-1/2	24	10	-	1.7	1.0	CSB/16524TA	£24.83
●	T8B.2	165	6-1/2	24	15.88	-	1.6	1.0	CSB/16524TC	£23.65
●	T8B	165	6-1/2	24	20	-	1.5	1.0	CSB/16524T	£21.68
●	T8C	165	6-1/2	24	30	-	1.5	1.0	CSB/16524TB	£23.60
●	T8B	165	6-1/2	40	20	-	1.5	1.0	CSB/16540T	£23.60
●	T8C	165	6-1/2	40	30	-	1.5	1.0	CSB/16540TB	£24.83
●	T8B.2	165	6-1/2	48	15.88	-	1.6	1.0	CSB/16548TC	£24.22
●	T8B	165	6-1/2	52	20	-	1.5	1.0	CSB/16552T	£24.83
●	T8B.2	165	6-1/2	64	15.88	-	1.6	1.0	CSB/16564TC	£26.53
●	T12.1	184	7-1/4	24	20	-	1.8	1.2	CSB/18424T	£24.22
●	T15.1	190	7-1/2	24	30	-	1.6	1.0	CSB/19024TC	£26.95
●	T15	190	7-1/2	24	30	-	1.8	1.1	CSB/TC19024T *	£26.76
●	T15	190	7-1/2	24	30	-	2.0	1.4	CSB/19024TB	£25.43
●	T15.1	190	7-1/2	36	30	-	1.6	1.0	CSB/19036TC	£27.95
●	T15	190	7-1/2	40	30	-	2.0	1.4	CSB/19040TB	£27.36
●	T15.1	190	7-1/2	60	30	-	1.6	1.0	CSB/19060TC	£29.95
●	T18.1	210	8	24	30	-	1.8	1.3	CSB/21024TC	£29.95
●	T18.1	210	8	36	30	-	1.8	1.3	CSB/21036TC	£31.95
●	T18.1	210	8	60	30	-	1.8	1.3	CSB/21060TC	£36.95

CORDLESS TRIM SAWBLADES


Thin kerf anti-kickback sawblades for cordless trim saws.



⚠ Not for use with Bosch GSK 24.

* PTFE non-stick coated.


ALTERNATE TOP BEVEL TOOTH FORM



NAIL CUTTING BLADES

Teeth have top and front bevel which allows the blade to cut more easily through the timber.

TRIPLE CHIP TOOTH FORM




Blade Type	Quick Selector No.	Dia. mm	Dia. inch Nom	No. of Teeth	Bore mm	Kerf mm	Plate mm	Product Ref.	Price
●	12	184	7-1/4	30	16	2.0	1.5	CSB/NC18430	£25.43
●	12.2	184	7-1/4	30	30	2.0	1.5	CSB/NC18430A	£25.43
●	23	235	9-1/4	40	30	2.0	1.5	CSB/NC23540	£33.08

PLUNGE SAW PANEL TRIMMING BLADES

For super fine trimming of panels. These blades have a triple chip tooth design with a positive hook for super fine finish. For plunge saws.

See page 125 for other blades for plunge saws.

TRIPLE CHIP TOOTH FORM



Blade Type	Quick Selector No.	Dia. mm	Dia. inch Nom	No. of Teeth	Bore mm	Kerf mm	Plate mm	Product Ref.	Price
●	7.1	160	6-1/4	48	20	2.2	1.6	CSB/PT16048	£44.98
●	8B.1	165	6-1/2	48	20	2.2	1.6	CSB/PT16548	£44.98
●	18	210	8-1/4	60	30	2.4	1.6	CSB/PT21060	£49.02


MITRE SAW CROSSCUTTING

For crosscutting applications on mitre and radial arm saws. Blades have a negative hook angle, to minimise 'pick up' and 'snatching'.

* PTFE Non-stick coated.



ALTERNATE TOP BEVEL TOOTH FORM



* T = Anti-kickback with thin kerf for cordless saws. CSB/CC184 blade is for DeWalt machine DC361M1.

Blade Type	Quick Selector No.	Dia. mm	Dia. inch Nom	No. of Teeth	Bore mm	Bushing Washer mm	Kerf mm	Plate mm	Product Ref.	Price
○●	CT12.3	184	7-1/4	24	16	-	1.6	1.0	CSB/CC18424T	£30.45
○●	CT12.3	184	7-1/4	48	16	-	1.6	1.0	CSB/CC18448T	£32.00
○●	CT12.3	184	7-1/4	60	16	-	1.6	1.0	CSB/CC18460T	£35.00
○●	C15	190	7-1/2	24	30	20	2.6	1.7	CSB/CC19024	£25.43
○●	C15	190	7-1/2	48	30	20	2.6	1.7	CSB/CC19048	£27.36
○●	CT14.1	190	7-1/2	48	20	-	1.9	1.4	CSB/CC19048T	£29.00
○●	CT14.1	190	7-1/2	60	20	-	1.9	1.4	CSB/CC19060T	£31.00
○●	C15	190	7-1/2	60	30	20	2.6	1.7	CSB/CC19060	£30.51
○●	C18	210	8-1/4	24	30	-	2.8	1.8	CSB/CC21024	£29.91
○●	C18	210	8-1/4	48	30	-	2.8	1.8	CSB/CC21048	£31.24
○●	C18A	215	8-1/2	24	30	-	2.6	1.7	CSB/CC21524	£31.24
○●	C18A	215	8-1/2	48	30	-	2.6	1.7	CSB/CC21548	£33.08
○●	C18A	215	8-1/2	60	30	-	2.6	1.7	CSB/CC21560	£38.16
○●	C19	216	8-1/2	24	30	-	2.6	1.7	CSB/CC21624	£29.77
○●	C19	216	8-1/2	48	30	-	2.6	1.7	CSB/CC21648	£33.08
○●	C19	216	8-1/2	60	30	-	2.6	1.7	CSB/CC21660	£36.33
○●	C25	250	10 nom.	24	30	16, 20 or 25.4	3.0	2.0	CSB/CC25024	£36.33
○●	C25	250	10 nom.	42	30	16, 20 or 25.4	3.0	2.0	CSB/CC25042	£40.09
○●	C25	250	10 nom.	72	30	16, 20 or 25.4	3.0	2.0	CSB/CC25072	£47.70
○●	CT26	254	10	24	30	-	2.5	1.8	CSB/CC25424T *	£38.63
○●	CT26	254	10	40	30	-	2.5	1.8	CSB/CC25440T *	£41.07
○●	CT26	254	10	60	30	-	2.5	1.8	CSB/CC25460T *	£51.96
○●	CT26	254	10	80	30	-	2.5	1.8	CSB/CC25480T *	£56.81
○●	C27	255	10	24	30	-	2.4	1.8	CSB/CC25524	£33.08
○●	C27.1	255	10	32	30	-	2.3	1.8	CSB/CCTC25532 *	£37.50
○●	C27	255	10	42	30	-	2.4	1.8	CSB/CC25542	£38.88
○●	C27	255	10	72	30	-	2.4	1.8	CSB/CC25572	£45.18
○●	C28	260	10-1/4	24	30	-	2.6	2.0	CSB/CC26024	£33.08
○●	C28.1	260	10-1/4	40	30	-	2.3	1.8	CSB/CC26040	£36.00
○●	C28	260	10-1/4	42	30	-	2.6	2.0	CSB/CC26042	£38.88
○●	C28	260	10-1/4	60	30	-	2.6	2.0	CSB/CCTC26060 *	£49.64
○●	C28	260	10-1/4	72	30	-	2.6	2.0	CSB/CC26072	£45.18
○●	C28.1	260	10-1/4	80	30	-	2.3	1.3	CSB/CC26080	£45.00
○●	C30	305	12	24	30	-	3.0	2.0	CSB/CC30524	£43.96
○●	C30.2	305	12	40	30	-	2.5	1.8	CSB/CC30540	£45.00
○●	C30	305	12	48	30	-	3.0	2.0	CSB/CC30548	£51.59
○●	C30.2	305	12	60	30	-	2.5	1.8	CSB/CC30560	£49.00
○●	C30	305	12	60	30	-	3.0	2.2	CSB/CC30560A	£49.00
○●	C30	305	12	64	30	-	3.0	2.0	CSB/CC30564	£54.74
○●	C30.2	305	12	96	30	-	2.5	1.8	CSB/CC30596	£67.00
○●	C30	305	12	108	30	-	3.0	2.0	CSB/CC305108	£83.71
○●	C32	350	13-3/4	108	30	-	3.5	2.5	CSB/CC350108 +	£77.45


ALUMINIUM/PLASTIC & WORKTOPS

Blades have negative hook angle.



Use a wax lubricant for cutting aluminium.

TRIPLE CHIP TOOTH FORM



* T = Anti-kickback with thin kerf for cordless saws.

Blade Type	Quick Selector No.	Dia. mm	Dia. inch Nom	No. of Teeth	Bore mm	Bushing Washer mm	Kerf mm	Plate mm	Product Ref.	Price
●	T2B	136	5-3/8	30	10	-	1.7	1.0	CSB/AP13630T *	£31.24
●	T4.1	150	6	36	10	-	1.5	1.0	CSB/AP15036TB *	£32.46
●	7.1	160	6-1/4	52	20	-	2.2	1.6	CSB/AP16052	£44.98
●	T8A	165	6-1/2	36	10	-	1.5	1.0	CSB/AP16536TA * +	£31.55
●	8B.1	165	6-1/2	48	20	-	2.0	1.8	CSB/AP16548	£33.45
●	12	184	7-1/4	58	16	-	2.8	1.9	CSB/AP18458	£34.39
●	12.2	184	7-1/4	58	30	-	2.8	1.9	CSB/AP18458A	£36.00
●	15	190	7-1/2	60	30	20	2.8	1.9	CSB/AP19060	£37.54
●	C18A	215	8-1/2	64	30	-	2.8	1.9	CSB/AP21564	£50.25
●	C19	216	8-1/2	64	30	-	2.8	1.9	CSB/AP21664	£47.86
●	C19	216	8-1/2	80	30	-	2.8	1.9	CSB/AP21680	£54.24
●	21	230	9	60	30	-	2.8	2.2	CSB/AP23060 +	£46.59
●	23	235	9-1/4	60	30	16 or 25	2.8	2.2	CSB/AP23560	£48.92
●	25	250	10 nom.	84	30	16, 20 or 25.4	3.0	2.0	CSB/AP25084	£60.43
●	26	254	10	80	30	-	2.8	1.8	CSB/AP25480	£57.28
●	26	254	10	96	30	-	2.8	1.8	CSB/AP25496	£65.52
●	28	260	10-1/4	96	30	25	2.8	2.0	CSB/AP26096	£65.52
●	29	300	11-7/8	96	30	-	3.0	2.0	CSB/AP30096	£71.19
●	C30	305	12	96	30	-	3.0	2.2	CSB/AP30580	£59.85
●	30	305	12	84	30	-	3.0	2.0	CSB/AP30584	£60.43
●	31	315	12-3/8	96	30	-	3.0	2.0	CSB/AP31596	£71.19

CRAFTPRO BUSHING WASHERS (Reducing Rings)

Outside Dia. (OD) mm	Inside Dia. (ID) mm	Thickness mm	Product Ref.	Price
20	12.7 (1/2")	1.1	CSB/BW27	£2.30
20	16	1.1	CSB/BW17	£2.30
30	16	1.1	CSB/BW45	£2.30
30	16	1.5	CSB/BW45A	£2.30
30	16	1.7	CSB/BW45B	£2.30

Outside Dia. (OD) mm	Inside Dia. (ID) mm	Thickness mm	Product Ref.	Price
30	20	1.1	CSB/BW15	£2.30
30	20	1.5	CSB/BW15A	£2.30
30	20	1.7	CSB/BW15B	£2.30
30	25	1.5	CSB/BW12A	£2.30
30	25	1.7	CSB/BW12	£2.30
30	25.4 (1")	1.3	CSB/BW14A	£2.30
30	25.4 (1")	1.7	CSB/BW14	£2.30



Use 1.1mm thick for blades up to 180mmØ
Use 1.5mm thick for blades 190-235mmØ
Use 1.7mm for blades 250mmØ



Bushing washers supplied to reduce bore diameter for certain makes and models of saw. Bushing washers must be pressed or glued into blade body of Trend CRAFTPRO sawblades only. Loose bushing washers/rings must not be used.