

T11



2000 WATT VARIABLE SPEED WORKSHOP ROUTER

With built-in Quick Raiser fine height adjuster.
Same features as T10 opposite but also has:


- Router fine height adjuster for above and below height adjustment. One revolution of handle equals 1.5mm.
- Three quick release recesses in base to fit tables in conjunction with optional Quick Release Kit.
- Fitting for optional Clamp Guide System Kit.
- Extra large base aperture for large cutters.
- Quick release dust spout.

T11EK (230v) £353.60 or
T11ELK (115v) £353.60




80mm plunge

75mm aperture for large cutter in table mode.



Height adjustment from either end.



Standard guide bush fitting.


Inner plate centring for superior accuracy.

75mm aperture for large cutters in table mode.

With 90mm recess to house panel raisers.



Built-in Quick Raiser for table fine height adjustment.



Quick Release Recess

Enables quick fitting and removal of router to PRT, router tables and jigs when used with optional Quick Release Kit.
EC Design Reg. No. 000336763.



Clamp guide fitting to suit VJS clamp guides.



INCLUDES:

- 1 x 1/2" collet
- 1 x Fine height adjuster
- 1 x Guide bush 30mm with inner plate and line-up pin
- 1 x Clip-in dust spout 35mm
- 1 x Side-fence with micro adjuster
- 1 x Storage case



SPECIFICATION:

Rating	Professional / Trade
Plunge stroke	0-80mm
Power input	2000w
Standard collet dia.	1/2"
No load speeds	8-20000 rpm
Dust spout size (ID)	35mm
Guide bush dia. supplied	30mm
Cutter dia. max. plunge/table	70/86mm
Other collet dia.	3mm, 6mm, 1/4", 8mm, 3/8", 10mm and 12mm
Weight	6.3kg
Voltages	230v or 115v*

*All 115v routers over 1850W require a 32A BS4343 115v plug. Minimum generator or transformer requirement 3 kVA continuous with a 32A BS4343 115v socket outlet. 115v units cannot be used on the no-volt release switch CRT/MK3L and PRT/L router tables.

T11 ACCESSORIES:

	Product Ref.	Price
1. Quick release kit Comprising: three sets of cams, bolts & fixings	T11/JT/KIT	£26.25
2. Varijig clamp guide system kits Comprising: alloy bracket fixing & plastic slider. Allows T11 to join to Varijig Clamp Guides.	T11/VJS/CGKIT	£39.99
3. Extra side-fence	WP-T11/087	£58.52
4. Direct fit large guide bushes		
50mm	GB500	£13.76
60mm	GB600	£13.76
70mm	GB700	£13.76
5. Plug 115v 32A 32A BS4343 115 volt plug	PLUG/110V/32A	£37.00



T10

3 YEAR WARRANTY
WITH ONLINE REGISTRATION



2000 WATT VARIABLE SPEED TRADESMAN ROUTER

Ideal for use by tradesmen in the workshop or on site, especially for cutting worktops.

- Electronic full wave variable control of spindle speed under load for a fine finish on all types of material.
- Soft start eliminates sudden movement of machine on start-up.
- Two column precision base with large phosphor bronze bushes for plunging accuracy.
- Spindle lock and hex collet nut results in easy cutter changes with the 22mm spanner supplied.
- Adjustable twin rod parallel side-fence guide with integral micro-adjuster for straight edge work.
- Precision machined one-piece multi-slit collet for fail-safe grip of cutter shank.
- 3 position revolving depth stop for fast adjustable settings.
- Adjustable inner plate for guide bush accuracy.

T10EK (230v) £315.66 or
T10ELK (115v) £315.66



T10 UNIQUE FEATURE IDEAL FOR ROUTING KITCHEN WORKTOPS



POWER TOOLS, SAFETY & TABLES

INCLUDES:

- 1 x 1/2" collet
- 1 x Guide bush 30mm with inner plate and line-up pin
- 1 x Bolt-on dust spout 35mm
- 1 x Side-fence with micro adjuster
- 1 x Storage case



SPECIFICATION:

Rating	Professional / Trade
Plunge stroke	0-80mm
Power input	2000w
Standard collet dia.	1/2"
No load speeds	8-20000 rpm
Dust spout size (ID)	35mm
Guide bush dia. supplied	30mm
Cutter dia. max.	50mm
Other collet dia.	3mm, 6mm, 1/4", 3/8", 8mm, 10mm & 12mm
Weight	6.3kg
Voltages	230v or 115v*

*All 115v routers over 1850W require a 32A BS4343 115v plug. Minimum generator or transformer requirement 3 kVA continuous with a 32A BS4343 115v socket outlet.

T10 & T11 REPLACEMENT PARTS:

These routers are supported by our network of repair agents around the UK. A complete range of spares are available. Common spares listed below.

	Product Ref.	Price
1. Collet nut	CLT/NUT/T10	£9.51
2. Brush set (pair)		
230v, pre 10/09	WP-T10E/004	£15.58
115v, pre 10/09	WP-T10EL/004	£15.58
230v, post 10/09	WP-T10E/004A	£15.58
115v, post 10/09	WP-T10EL/004A	£15.58
3. Spring for thumb knob	WP-T10/081	£1.59
4. Thumb knob M6x15mm	WP-T10/085	£2.16
5. Inner plate		
T10	WP-T10/075	£7.05
T11	WP-T9/075	£5.68
6. Switch unit (115v and 230v)	WP-T10E/003	£37.05
7. Guide bush screw M5x8mm (each)	WP-SCW/09	£0.68
8. Inner plate screw M5x12mm (each)	WP-SCW/42	£0.68
9. Handles		
Left	WP-T10/041	£8.40
Right	WP-T10/049	£8.40
10. Plastic slider base		
T10	WP-T10/080	£17.39
T11	WP-T11/080	£17.39
11. T11 fine height adjuster handle	WP-T11/128	£13.18
11a. Storage case	CASE/T10	£39.99

ACCESSORY GUIDE BUSHES

From 10mm to 40mm see page 183 for full details.

Product Ref.
GB group

T10 & T11 ACCESSORIES:

	Product Ref.	Price
12. Guide bush 30mm x 10mm spigot	GB30/A	£8.40
13. Collets precision slit one-piece sizes:		
3mm	CLT/T10/3	£39.43
6mm	CLT/T10/6	£26.25
1/4"	CLT/T10/635	£26.25
8mm	CLT/T10/8	£26.25
3/8"	CLT/T10/95	£26.25
10mm	CLT/T10/10	£26.25
12mm	CLT/T10/12	£26.25
1/2"	CLT/T10/127	£26.25
14. Beam trammel 10mm x 500mm rod	BEAM/002	£24.54
15. Standard fence rods 360mm (pair)	ROD/10X360	£17.95
16. Extra long fence rods 500mm (pair)	ROD/10X500	£24.54
17. Plug 115v 32A 32A BS4343 115 volt plug	PLUG/110V/32A	£37.00
18. Socket 115v 32A 32A BS4343 115 volt plug	SOCK/110V/32A	£34.09

T10 ACCESSORIES:

	Product Ref.	Price
19. Fine height adjuster	FHA/003	£24.54
Fits in place of the knurled knob and provides fine height adjustment of the cutter in a table or with a dovetail jig.		
20. Extra side-fence	WP-T10/087	£65.68
21. Direct fit guide bushes		
30mm	GB/T10/30	£16.71
40mm	GB/T10/40	£16.71



T5v2

1000 WATT VARIABLE SPEED ROUTER

A popular design, this router is both compact and powerful and suitable for light and medium duty applications.

- Electronic variable control of spindle speed under load for a fine finish on all types of material.
- Soft-start feature eliminates sudden movement of machine on start-up.
- Spindle lock and hex collet nut allows easy cutter changes.
- Precision machined one piece multi-slit collet with combined nut.
- Compact design and low weight make it easy to use especially for intricate work.
- Adjustable twin rod side-fence for guiding along a straight edge.



Micro adjustable side-fence

Soft grip handles

Ergonomic spindle lock

Line-up sight marks

Basic models

T5EB (240v) £209.51 or
T5ELB (115v) £209.51

INCLUDES:

- 1 x 1/4" (6.35mm) collet
- 1 x 35mm clip-in dust spout
- 1 x 20mm guide bush
- 1 x Side-fence with micro adjuster
- 1 x Beam trammel attachment



Models with storage case

T5EK (240v) £248.30 or
T5ELK (115v) £248.30

INCLUDES:

- 1 x 1/4" (6.35mm) collet
- 1 x 8mm collet
- 1 x 35mm clip-in dust spout
- 1 x 20mm guide bush
- 1 x Beam trammel attachment
- 1 x Fine height adjuster



Lower profile dust spout with fitting from both sides.

T5 REPLACEMENT PARTS:

The T5 router is supported by our network of repair agents around the UK. A complete range of spares are available. Common spares listed below.

1. Brush Set:	Product Ref.	Price
240v (pair)	WP-T5E/032	£8.40
115v (pair)	WP-T5EL/032	£9.03
2. Spring for thumb knob	WP-T5/016	£1.25
3. Thumb knob M6x12mm	WP-T5/011	£1.82
4. Switch (version 1)		
240v	WP-T5E/027	£11.36
115v	WP-T5EL/027	£14.31
5. Switch (version 2)		
240v & 115v	WP-T5E/017	£11.36

6. Grip handle (version 2)	WP-T5/015A	£5.46
7. Guide bush screw M5x10mm	WP-SCW/13 (ea)	£0.68
8. Plastic slider base	WP-T5/050	£6.36
9. Depth stop	WP-T5/014	£3.07
10. Beam trammel attachment		
For 8mm dia. fence rods.	BEAM/005	£7.17
11. Guide bush 20mm	GB20	£7.84

12. Collet & nut sets (new style post 2005)		
Precision multi-slit one-piece collet with combined nut sets in three sizes.		
Product Ref.	ID	Price
CNS/T5/6	6mm	£16.71
CNS/T5/635	1/4"	£16.71
CNS/T5/8	8mm	£16.71
13. Collet (old style pre 2005)		
For use with old style collet nut.		
CLT/T5/32	1/8"	£35.00
14. Collet nut (old style pre 2005)		
For use with old style collet.		
CLT/NUT/T5		£3.98



T5MK2 V2

1000 WATT VARIABLE SPEED ROUTER

Safety switch version of the popular T5 Router. A trigger lock is included when used in a router table.

T5EK/MK2 (240v) £248.30

3 YEAR WARRANTY
WITH ONLINE REGISTRATION



POWER TOOLS, SAFETY & TABLES



50mm plunge

Tapped guide bush fixing holes.



**FEATURING
UNIQUE SAFETY
TRIGGER SWITCH**



Ergonomic switch lever, when released will switch machine off automatically.



Edge moulding



Template guide bush routing



Accurate direct fit guide bush

INCLUDES:

- 1 x 1/4" (6.35mm) collet
- 1 x 8mm collet
- 1 x 35mm clip-in dust spout
- 1 x 20mm guide bush
- 1 x Side-fence with micro adjuster
- 1 x Beam trammel attachment
- 1 x Trigger lock
- 1 x Fine height adjuster
- 1 x Storage case

SPECIFICATION:

Rating	Professional / Trade
Plunge stroke	0-50mm
Power input	1000w
Standard collet dia.	1/4" & 8mm
Cutter dia. max.	40mm
No load speeds	9-27000 rpm
Dust spout size (ID)	35mm
Guide bush dia.	20mm
Weight	3.3kg
Voltages	115v or 240v

T5EK/MK2 is not available in 115v
For 115V minimum generator or transformer requirement
2.75kVA continuous.

T5 ACCESSORIES:

	Product Ref.	Price
1. Fine height adjuster Fits in place of the depth stop and threads onto the longest revolving turret screw. Provides fine height adjustment in a router table or with dovetail jigs.	FHA/001	£14.31
2. Beam trammel 8mm x 500mm rod	BEAM/001	£16.71
3. Storage case supplied with 'K' & MK2 models of the T5. Size: 470 x 357 x 165mm.	CASE/T5	£40.58
4. Extra side-fence	WP-T5/046	£35.70
5. Side-fence without micro adjustment	WP-T5/077	£20.34
6. Standard fence rods 300mm (pair)	ROD/8X300	£11.94
7. Extra long fence rods 500mm (pair)	ROD/8X500	£19.08
8. T5 MK2 trigger lock To lock trigger in 'on' position when used in table mode with a No-Volt Release Switch fitted. See page 184 for No-Volt Release Switch.	T5MK2/LOCK	£4.21

GUIDE BUSHES

Ref.	OD	Price
Alternative sizes of guide bushes to fit base of router. See page 183 for further information.		
GB10	10mm	£7.84
GB12	12mm	£7.84
GB14	14mm	£7.84
GB16	16mm	£7.84
GB18	18mm	£7.84
GB20	20mm	£7.84
GB22	22mm	£7.84
GB24	24mm	£7.84
GB26	26mm	£7.84
GB28	28mm	£7.84
GB30	30mm	£7.84
GB32	32mm	£7.84
GB40 extra large size	40mm	£7.84



T4

850 WATT VARIABLE SPEED ROUTER

Light duty plunge router for the hobbyist, DIY'er and light trade user.

- Variable speed control.
- Spindle lock.
- Hex collet nut allows easy cutter changes.
- Removable base for carving and die grinding with 43mm diameter collar for pillar drill fitment.
- Tapped fixing holes for Trend standard guide bushes.
- Separate dust spout fixing holes.
- Adjustable twin rod side-fence for guiding along a straight edge.

T4EK (240v) £96.57 or
T4ELK (115v) £96.57

INCLUDES:

- 1 x 1/4" collet
- 1 x 6mm collet
- 1 x 8mm collet
- 1 x 34mm bolt-on dust spout
- 1 x 16mm guide bush
- 1 x Side-fence
- 1 x Storage case



Removable base for shaping & sharpening. Use Burrs & Rasps for grinding & carving, see page 78 for full details.



Edge moulding



Hinge recessing with a Hinge Jig & Unibase fitted or use Ref. GB/T4/160.

SPECIFICATION:

Rating	Hobbyist / DIY / light trade
Plunge stroke	0-35mm
Power input	850w
Standard collet dia.	1/4", 6mm & 8mm
Dust spout size (ID)	34mm
Guide bush dia.	16mm
No load speeds	11,500 - 32,000 rpm
Cutter dia. max.	30mm
Weight	2.4kg
Voltage	230v or 115v

For 115v minimum generator or transformer requirement 2.75kVA continuous.

T4 ACCESSORIES: Product Ref. Price

- Fine height adjuster**
Fits in place of the depth stop and threads onto the longest revolving turret screw. It provides a fine height adjustment of the cutter in a router table or with a dovetail jig.
FHA/009 £13.07
- Guide bushes** GB10, GB12, GB14 £7.84
Alternative guide bushes to fit base of router. From 10mm to 40mm. See page 183 for complete range.
- Beam trammel** BEAM/001 £16.71
- Extra long fence rods** 500mm (pair) ROD/8X500 £19.08
- Side-fence** Complete with rods WP-T4/087 £10.15

REPLACEMENT PARTS: Product Ref. Price

- Collet nut** CLT/NUT/T4 £3.98
- Collet spring** WP-T4/033 £1.25
- Brush set (pair)** 115v WP-T4E/010 £3.98
230v WP-T4EL/010 £3.98
- Thumb knob** WP-T4/038 £1.25
- Spring for thumb knob** WP-T4/039 £0.68
- Guide bush screw (ea)** WP-SCW/09 £0.68
- Depth stop rod** WP-T4/036 £1.25

Product Ref. Price

- Switch 230v** WP-T4E/017 £2.72
115v WP-T4EL/017 £2.40
- Grip handle** WP-T4/046 £2.40
- Plastic slider base** WP-T4/061 £1.82
- Replacement one piece collets**
ID 3mm CLT/T3/3 £4.55
ID 6mm CLT/T4/6 £4.55
ID 1/4" CLT/T4/635 £4.55
ID 8mm CLT/T4/8 £4.55

17. Storage Case
Size: 415 x 290 x 140mm CASE/T4 £13.53

