

The most popular tried and tested worktop jigs, designed to enable all 1/2" shank plunge routers to cut precise butt and scribe joints in postform worktops.

JIG FEATURES:

- Machined from hard wearing solid laminate.
- Will produce a joint in 15 minutes including set-up time.
- Facilities to cut various widths of board and thicknesses up to 42mm.
- Integral panel bolt connector recessing template with easy spanner access.
- Width setting stop for accurate positioning.
- Supplied with clear and comprehensive instructions.

JIGS REQUIRE:

- A portable plunge router with 12.7mm (1/2") shank capacity and minimum 1300 watts.
- A template guide bush with 30mm outside diameter.
- A TCT router cutter with 12.7mm (1/2") dia. and 50mm (2") cut length.
- Two 100mm (4") throat clamps.

COMBI66 JIG



Jig from 500mm to 650mm wide worktops, with Peninsular cut.

- A single male and female template in 16mm solid laminate.
- Facility to join boards from 500mm to 650mm wide.
- Two bolt recess slots for connecting bolts.
- Three alloy location bushes and width setting stop.
- Cuts out of square joints (max. 3°).

COMBI66 £112.22

Size: 880 x 233 x 16mm, weight 3.3kg.










4 FUNCTIONS:

- 1 Female cut
- Male cut
- Bolt recess
- Curved peninsular



| OPTIONAL ACCESSORIES: | Product Ref. | Price |
|---------------------------------------|--------------|--------|
| 1. Router cutters 12.7mm (1/2") diame | eter. | |
| a. Professional Rota-tip | RT/11X1/2TC | £74.48 |
| b. Professional | 3/83DX1/2TC | £35.11 |
| Trade Range | TR17DX1/2TC | £29.31 |
| CraftPro | C153DX1/2TC | £26.16 |
| 2. Carry case (for COMBI600 & 66) | CASE/65 | £19.13 |
| 3. F-clamp (two required) | FC/200 | £14.67 |
| 4. Recommended 30mm guide bush | | |
| A Unibase may be required. | GB30/A | £8.96 |



| REPLACEMENT PARTS: | Product Ref. | Price |
|---|--------------|--------|
| 5. Length stop (for COMBI66) | CJ/LSK | £18.53 |
| 6. Bush 20mmØ (for COMBI600) | BUSH/600 | £3.86 |
| 7. Bush 30mmØ (for COMBI66) | CJ/BUSH | £9.58 |
| 8. 'O' ring set (for bushes, pack of 5) | CJ/ORS | £1.94 |















COMBI1002

J G 1000MM

For up to 1000mm wide worktops with cable tidy insert and circular hinge cut apertures.

- A single male and female template in 16mm solid
- Facility to join boards from 450mm to 1000mm wide.
- Facility to cut 22.5° mitre corners for hob units.
- · Integral template slots for rounding and mitring of peninsular worktop corners, for cable tidy inserts and a circular concealed hinge aperture and 3/4" BSP hole for mixer taps.
- Three alloy location bushes and a width-setting stop.
- Colour coded pin location for quick and easy use.
- Four bolt recess slots for connection bolts to allow three bolts in 600mm wide worktop.
- Cuts out of square joints (max. 3°).
- Guide bush and cutter checker.
- Routs 35mm hole for 3/4" BSP mixer tap and two 25mm holes for bridge (bed) mixer tap.

COMBI1002 £313.92

Size: 1200 x 376 x 16mm, weight 9.6kg









- Female cut
- Male cut
- **Connector bolt recess**
- **Curved peninsular**
- 45° end cut
- **Corner radius**
- 22.5° mitre corner ioint, cable tidy insert. 35mm circular hinge, and 3/4" BSP hole

ASSOCIATED PRODUCTS


CABLE TIDY INSERTS & 35MM CIRCULAR HINGE

Router, cutter and

clamps not included.

trend





| 0 | PTIONAL ACCESSORIES: | Product Ref. | Price |
|----|---------------------------------|------------------|--------|
| 1. | Router cutters 12.7mm (1/2") di | ameter straight. | |
| a. | Professional Rota-tip | RT/11X1/2TC | £74.48 |
| b. | Professional | 3/83DX1/2TC | £35.11 |
| | Trade Range | TR17DX1/2TC | £29.31 |
| | CraftPro | C153DX1/2TC | £26.16 |
| 2. | Carry case (for COMBI1002) | CASE/1001 | £28.70 |
| 3. | F-clamp (two required) | FC/200 | £14.67 |
| 4. | Recommended 30mm guide bu | ısh | |
| | A Unibase may be required. | GB30/A | £8.96 |

5. Bolt-on clamps (for COMBI1002 only)

| | a. Long clamp (incl 2 x fixing bolt kit) | PJ/CL/L | £47.70 |
|---|---|---------|--------|
| - | b. Short clamp (incl 1 x fixing bolt kit) | PJ/CL/S | £43.96 |
| - | c. Fixing bolt kit (set of 3) | PJ/FBK | £2.56 |

| REPLACEMENT PARTS: | Product Ref. | Price |
|---|--------------|--------|
| 6. Length stop (for COMBI1002) | CJ/LSK | £18.53 |
| 7. Bush 30mmØ (for COMBI1002) | CJ/BUSH | £9.58 |
| 8. 'O' ring set (for bushes, pack of 5) | CJ/ORS | £1.94 |



KWJ700 JIG 700MM

Tradesman worktop jig for up to 700mm wide worktops.

- Hard wearing solid laminate 12mm thick jig that cuts both parts of the joint in 15 minutes including setting up.
- Left hand and right hand corners, 400mm radius peninsular joint, 45° end cut with slight radius, 100mm radius corner, 40mm radius corner, 35mm kitchen door hole and 3/4" BSP hole for mixer taps.
- Fixed lengths for 250mm, 300mm, 400mm, 500mm, 550mm, 600mm, 616mm, 650mm and 700mm wide worktops. Cuts up to 40mm thick worktops with or without anti-drip postformed edge.
- Three open-ended bolt recesses (dog bone style) for 150mm bolts. Engraved lines for short 65mm bolts, and worktop crosscut. Two recesses for 600mm and three for 700mm worktops.
- 10mm diameter plastic pins with tapered shoulder for tight fit provides three point pin contact to ensure ease of setting up.
- · Engraved markings for identification of pin holes.
- · Pins made from ABS plastic for strength.

KWJ700 £100.14


Size: 985 x 390 x 12mm, weight 5.4kg.



400mm radius

40mm





9 FUNCTIONS:

- Female cut
- Male cut
- Connector bolt recess
- 4 Curved peninsular
- 6 45° end cut
- 6 R40mm corner radius
- R100mm corner radius
- 8 45° mitre corner joint
- 9 35mm circular hinge and 3/4" BSP hole

RECOMMENDED

T10 ROUTER

Router, cutter and clamps not included

trend

T10'S ADJUSTABLE INNER PLATE FOR SUPERIOR ACCURACY

See page 131 for full details.



Standard guide bush fitting

Inner plate centring for accuracy

Three types of Peninsular cuts. **FUNCTIONS FOR** THE KWJ700 JIG: 45° Mitre 'trade' corner joint (8)45° end cut 35mm circular (5) hinge Mitre worktop joints for hob units Corner radius (6)&(7) **Panel** Female cut connector (1)Female cut recess [1] Curved peninsular Male cut 4 Male cut (2) (2) Left hand joint Right hand joint

| OPTIONAL ACCESSORIES: | Product Ref. | Price |
|---|---------------------|--------|
| Router cutters 12.7mm (1/2") diamed cut length. | eter straight x 50n | nm |
| a. Professional Rota-tip | RT/13X1/2TC | £84.65 |
| b. Professional | 3/83DX1/2TC | £35.11 |
| Trade Range | TR17DX1/2TC | £29.31 |
| CraftPro | C153DX1/2TC | £26.16 |
| 2. Carry case (hard wearing) | CASE/1001 | £28.70 |
| 3. F-clamp (two required) | FC/200 | £14.67 |
| Recommended 30mm guide bush A Unibase maybe required. | GB30/A | £8.96 |
| | | |



trend

Tradesman ALL IN ONE worktop jig for up to 900mm wide worktops.

Hard wearing solid laminate 12mm thick jig that cuts both parts of the joint in 15 minutes including setting up.

KWJ900 JIG

- Left hand and right hand corners, 400mm radius peninsular joint, 45° end cut with slight radius, 45° "trade" corner solution for hob units, 100mm radius corner, 40mm radius corner, 35mm kitchen door hole and 3/4" BSP hole for mixer taps.
- Fixed lengths for 400mm, 500mm, 550mm, 600mm, 616mm, 650mm, 700mm and 900mm wide worktops. Cuts up to 40mm thick worktops with or without anti-drip postformed edge.
- Three open-ended bolt recesses (dog bone style) for 150mm bolts. Engraved lines for short 65mm bolts and worktop cross-cut. Two recesses for 600mm and three for 900mm worktops.
- 10mm diameter plastic pins with tapered shoulder for tight fit provides three point pin contact to ensure ease of setting up.
- Engraved markings for identification of pin holes.
- Pins made from ABS plastic for strength.

KWJ900 £163.02

Size: 1185 x 390 x 12mm, weight 7.7kg







9 FUNCTIONS:

- 1 Female cut
- 2 Male cut
- **Connector bolt recess**
- **Curved peninsular**
- 45° end cut
- **R40mm corner radius**
- R100mm corner radius
- 45° mitre corner joint 35mm circular hinge and 3/4" BSP hole

RECOMMENDED


T10 ROUTER

Router, cutter and

clamps not included

T10'S ADJUSTABLE INNER PLATE FOR SUPERIOR ACCURACY

See page 131 for full details.



Standard guide bush

Inner plate centring for accuracy

Three types of Peninsular cuts. **FUNCTIONS FOR** THE KWJ900 JIG: 45° Mitre 'trade' corner joint (8)45° end cut 35mm circular (5) hinge Mitre worktop joints for hob units Corner radius (6)&(7) **Panel** Female cut connector (1) Female cut recess (1) Curved peninsular Male cut 4 Male cut (2) (2) Left hand joint Right hand joint

| OPTIONAL ACCESSORIES: | Product Ref. | Price |
|---|---------------------|--------|
| Router cutters 12.7mm (1/2") diam cut length. | eter straight x 50n | nm |
| a. Professional Rota-tip | RT/13X1/2TC | £84.65 |
| b. Professional | 3/83DX1/2TC | £35.11 |
| Trade Range | TR17DX1/2TC | £29.31 |
| CraftPro | C153DX1/2TC | £26.16 |
| 2. Carry case (hard wearing) | CASE/1001 | £28.70 |
| s. F-clamp (two required) | FC/200 | £14.67 |
| 4. Recommended 30mm guide bush | 1 | |
| A Unibase maybe required. | GB30/A | £8.96 |





COMBI640H 640MM **INSERT JIG**

Replaceable insert kitchen worktop jig for 420mm to 640mm wide worktops.

- Less downtime with higher profitability.
- · Accident repairable by replacing the red insert piece.
- Hard wearing solid laminate 16mm thick with replaceable
- · Solid laminate insert located by fixed pins for accuracy, insert set sub-flush on both sides to ensure router runs unobstructed.
- · Secured with machine screws into metal inserts.
- · Colour coded pin location for quick and easy use.
- One jig does both parts of the joint.
- Two alloy bushes and width setting slot. Two bolt recess slots for connecting bolts.

COMBI640H £220.55

Size: 787 x 362 x 12mm, weight 5.4kg







Router, cutter and clamps not included.


- Female cut
- Male cut
- **Connector bolt** recess

RECOMMENDED

T10 ROUTER


T10'S ADJUSTABLE INNER PLATE FOR SUPERIOR ACCURACY

See page 131 for full details.



Standard guide bush

Inner plate centring for accuracy



| OPTIONAL ACCESSORIES: | Price | | |
|--|-------------|--------|--|
| Router cutters 12.7mm (1/2") diameter. | | | |
| a. Professional Rota-tip | RT/11X1/2TC | £74.48 | |
| b. Professional | 3/83DX1/2TC | £35.11 | |
| Trade Range | TR17DX1/2TC | £29.31 | |
| CraftPro | C153DX1/2TC | £26.16 | |
| 2. Carry case | CASE/640H | £22.95 | |
| 3. F-clamp (two required) | FC/200 | £14.67 | |
| 4. Recommended 30mm guide bush | | | |
| A Unibase may be required. | GB30/A | £8.96 | |



| | | trend | NICOLA MORNO |
|----|---|-------|--------------|
| 3. | Γ | 4. | |

| REPLACEMENT PARTS: | Product Ref. | Price | |
|---|--------------|---------|--|
| 5. Length stop | CJ/LSK | £18.53 | |
| 6. Bush 30mmØ | CJ/BUSH | £9.58 | |
| 7. 'O' ring set (for bushes, pack of 5) | CJ/ORS | £1.94 | |
| 8. Insert (1 off) | CJ/640H/IP | £45.18 | |
| Inserts (5 off) | CJ/640H/IP/5 | £211.07 | |







WORKTOP JIG ACCESSORIES

65MM METAL ENDED **SHORT WORKTOP**

CONNECTORS Shorter panel butt connectors, ideal for joints near hobs.

- Threaded steel worktop bolts.
- · Short bolt recess can be routed with KWJ700 & KWJ900 worktop jigs.
- Use with a 10mm A/F spanner.

PC/65/10 £7.21 Pack of 10

PC/65/50 £31.21 Pack of 50

PC/65/100 £56.58 Pack of 100



150MM METAL ENDED

WORKTOP

Panel bolt connectors to connect kitchen worktop joints together.

- Threaded steel worktop bolts.
- Use with a 10mm A/F spanner.

PC/10/M £9.58

PC/50/M £41.41 Pack of 50

PC/100/M £75.09 Pack of 100

PC/1000/M £663.09 Pack of 1000



Bolt fitted in recess

EASIBOLT CLIPS

For 150mm metal worktop panel connector bolts.

- Easibolt clips keep bolt in 14.5mm wide recess in the underside of the worktop for easy fitting.
- · Keeps both hands free for tightening bolt nut.
- · Easibolt clips can be left on the bolt.
- For use with 150mm long connector bolts only.
- Ideal for Trend KWJ700 and KWJ900 worktop jigs. See pages 154-155.



EB/PC/3 £3.10

Pack of 3 Easibolt clips & 150mm holts



Slot width 14.5mm



Keeps bolt held in recess for ease of tightening.



QUICK FIT

ZIPBOLT WORKTOP **CONNECTORS**

Quick tightening 170mm connector bolts for kitchen worktop joints.

- · Use with 5mm hex driver for tensioning.
- · Suits standard worktop jig bolt recess.
- Bolt balances on hex driver.
- Strong and powerful zinc plated metal bolts.
- Diecast gear housing is more durable and is able to achieve even higher torque levels.
- · Saves time and money in assembling worktops and panels.

KITCHEN WORKTOP JIGS

• Makes job easier for the installer.

ZIP/170/3 £8.59

Pack of 3 with 5mm hex bit

ZIP/170/25 £59.79

ZIP/170/50 £114.15

See pages 152-156 for full details

Pack of 50

Patent No.EP1969240






HOW IT WORKS:



Zipbolt requires a 5mm hex driver.

Fit Zipbolt to hex rachet bit in ratchet screwdriver or torque screwdriver drill and place in worktop recess.



Hex bit engages in recess in diecast housing, to drive



Turn hex bit to tighten Zipbolt and to tighten joint.



Bolt fitted into recess.



BISCUIT JOINTING CUTTERS TC TIPPED

4mm wide Tungsten Carbide Tipped grooving cutters with bearing guide to rout grooves for biscuits. Give extra stability to worktop joint.

342X1/2TC £59.82 TR35X1/2TC £48.32 C152X1/2TC £38.16



BISCUITS NO.20

Glue into 4mm routed groove to increase joint stability.

BSC/20/100 (qty 100) £7.15 BSC/20/1000 (qty 1000) £31.48



RECOMMENDED 30MM GUIDE BUSH

- Euro style precision steel.
- To guide the router when using a template.
- A Unibase may be required for certain makes and models of router.





UNIVERSAL SUB-BASE

For obtaining concentricity of the cutter relative to the guide bush. Fits the bases of most heavy duty routers. See page 182 for further details.









F CLAMPS

Quick action gripper clamps with 100mm throat. Durable steel construction with removable jaws.

FC/200 (200mm jaw) £14.67





WORKTOP SCRIBER

Gives offset between worktop jig and guide bush for easy setting up.

- Allows true cutter path to be drawn.
- · Scribes directly onto worktop.
- Offset for 30mm guide bush and 1/2" router cutter.



Design Reg. 3014615







TWO FLUTE CUTTERS TC TIPPED

12.7mm (1/2") diameter x 50mm cut straight TCT router cutters 3/83DX1/2TC £35.11

3/83MX1/2TC (short shank) £35.11

TR17DX1/2TC £29.31 C153DX1/2TC £26.16



REPLACEABLE TIP CUTTERS

12.7mm (1/2") diameter replaceable tip cutters for COMBI Jigs.

RT/11X1/2TC £74.48

RT/11MX1/2TC (short shank) £74.48

RB/A (blade for RT/11) See page 15 for price.

12.7mm (1/2") diameter replaceable tip cutter for KWJ700 & KWJ900.

RT/13X1/2TC £84.65

RB/H (blade for RT/13) See page 15 for price.

WORKTOP JIG CARRY CASES

Hardwearing carry cases for worktop jigs. Padded interior with hook & loop secured flap and webbing

| carry strap. | | | | |
|--------------|--|--------------|--------------|--------|
| | To suit Trend Jigs | Length mm | Height mm | Price |
| CASE/1001 | COMBI1001 COMBI1002 KWJ700 KWJ900 | 1250 | 415 | £28.70 |
| CASE/65 | COMBI65 COMBI600 COMBI66 | 980 | 265 | £19.13 |
| CASE/640H | COMBI650 COMBI640H | 830 | 395 | £22.95 |
| CASE/650 + | COMBI650 | 830 | 390 | £19.61 |



CONNECTING BOLT RECESS TEMPLATE

Single bolt recess template for jointing kitchen worktops.

- · Dowel pin location.
- For 30mm guide bush and 1/2" router cutter.
- Made from MDF.



Size: 400mm x 200mm



