ROUTER ACCESSORIES

FINE HEIGHT ADJUSTERS

These fine height adjusters simply fit onto the router and allow fine adjustment of the cutter height. They are especially useful for accurate work such as when using a dovetail jig. They are invaluable when the router is held inverted in a router table.



FHA/001 £15.25

Suitable for: Trend T3. T5. T5 MK2 Axminster AW635R Challenge 1020W Champion CPR850 **DeWalt** DW613, 614, 615 DIY ER005

Draper R850V Einhell EOF 850SP, BOF 1050E Elu MOF 96(E)

Ferm FBF-6E, 8E, 1050E Nutool NPT850,102, HP6, MNPC900

Powerbase 1020W Performance Power 1020W Perles OF808(E), OF2-808(E) Power Devil PDW5026, 5027

Power Base 1020W Silverline 762170, 783111, AT3305 Virutex FR78, 78C

Wickes 900W Sealey SR1000 Osaki 1020W

FHA/002

Suitable for: Trend T9 CMT CMT2E Metabo OF1612, OFE1812 Felisatti TP246(E), R346EC Fein RT1800

FHA/003 £26.16

Suitable for: Trend T10 Elu MOF 177(E), 131 **DeWalt** DW624, 625EK, 629 CMT CMT1F

FHA/009 £13.93

Suitable for: Trend T4 Ferm FBF-850E



COLLET EXTENSIONS

For use in router tables where there is a limited router cutter shank length available. Precision machined one-piece steel body & multi-slit spring steel collets.

12MM & 1/2" SHANK

With either a 1/2" or 12mm shank, fitted with a multi-slit spring steel collet & collet nut. Increases cutter spindle length by 50mm. Use at max. speed 18,000 rpm. Max. tool diameter 50mm & max. tool cut length 30mm. Requires 19mm & 22mm A/F spanners.



CE/127635_ Collet ext. 1/2" shank & 1/4" collet	_£60.43
CE/127127 Collet ext. 1/2" shank & 1/2" collet	£60.43
CE/1212 Collet ext. 12mm shank & 12mm collet	£60.43
CE/CNS/1 Collet & nut set 1mm	_£42.62
CE/CNS/2 Collet & nut set 2mm	_£42.62
CE/CNS/3 Collet & nut set 3mm	_£42.62
CE/CNS/635 Collet & nut set 1/4" (6.35mm)	£42.62
CE/CNS/8Collet & nut set 8mm	£42.62
CE/CNS/95 Collet & nut set 3/8" (9.5mm)	£42.62
CE/CNS/12Collet & nut set 12mm	£42.62
CE/CNS/127 Collet & nut set 1/2" (12.7mm)	£42.62
CE/NUT_ Spare collet nut	_£10.90

8MM SHANK

These sizes have an 8mm shank & should be used with medium duty routers of min. 850 watts. Increases spindle length by 41mm. Use at max. speed 18,000 rpm. Max. cutter diameter 35mm & max. tool cut length 25mm. Requires 12mm & 17mm A/F spanners.



Insert rings removed for clarity.

CE/8635_ Collet ext. 8mm shank & 1/4" collet	_£43.47
CE/88_ Collet ext. 8mm shank & 8mm collet	_£43.47
CE/CNS/8/6_ Collet & nut set 6mm	£21.68
CE/CNS/8/635	£21.68
CE/CNS/8/8_ Collet & nut set 8mm	£21.68
CE/NUT/8	£7.64

COLLET EXTENSION SPANNERS

High quality forged vanadium steel open ended spanners for use with collet extensions.

For 1/2" collet ext. CE/127	05.00
SPAN/19	£5.82
19mm A/F spanner	

SPAN/22 22mm A/F spanner



Spare collet nut

For 1/4" & 8mm collet ext. CE/8	
SPAN/12	£4.48
12mm A/F spanner	
SPAN/17	£6.06
17mm A/F spanner	

FIXING KITS

For fitting routers to self-made router tables and accessories.



Pan Head	
Pack comprising:	
M4x10mm4 off	
M4x12mm4 off	
M5x16mm4 off	
M5x20mm2 off	
M6x16mm3 off	
M6x30mm3 off	
UNF10x1/2"3 off	
M6 nut & washer 3 off	

FIX/KIT/1 £2.18



Countersink Head Pack comprising: M4x12mm M5x10mm __ 4 off M6x10mm __ 2 off M6x12mm 3 off M6x16mm ___ 2 off 3 off M6x25mm M6x35mm ___ ___3 off M6 nut & washer __3 off

FIX/KIT/2 £1.94



Ullipase i ixiligs	
Pack comprising:	
2BAx1/4" countersink	_2 off
M4x10mm pan head	_4 off
M4x12mm pan head	_4 off
M5x16mm pan head	_4 off
M5x20mm pan head	_2 off
M6x12mm pan head	_2 off
M6x16mm pan head	_3 off
M6x30mm pan head	_3 off
No.10 UNFx1/2" pan head	_3 off
M6 washer	_3 off
M5 nut	_2 off
M6 nut	_3 off

16 PIECE MINI HEX KEY SET

16 mini hex keys made of Chromevanadium steel. Metric sizes 0.7mm, 0.9mm, 1.3mm, 1.5mm, 2mm, 2.5mm & 3mm A/F. Imperial sizes 0.028", 0.036", 0.05", 1/16", 5/64", 3/32", 7/64". 1/8" & 9/64" A/F. Ideal for router cutters, modellers, engineers, automotive, DIY, electronics etc.

HK/SET/A





£2.56

FIX/KIT/3

HOSES & CONNECTIONS



HOSES &

CONNECTIONS: Product Ref.

Offered to fit a multitude of extraction equipment. Bayonets may be required.

1. OD 37mm, ID 30mm x 3 metre (light duty) HOSE/35X3 £29.05

2. OD 38mm, ID 32mm x 3 metre (heavy duty)
HOSE/38X3 £31.24

3. OD 105mm, ID 100mm x 3 metre £58.50 HOSE/105X3

4. Hose cuff

Price

To join hoses together which have the same diameter. Can also be used to fit to dust spouts. Joins 38mm OD hoses together.

HOSE/CUFF/38

Plastic bayonet
Designed to fit hoses to extraction fittings. Fits hose 38mmØ OD. OD 45/39mm, ID 34/32mm. HOSE/BAY/35

Stepped bayonet

Ideal when a custom connection is required. Can be cut to size with a knife. OD 54mm/39mm, ID 48mm/33mm.

HOSE/BAY/STEP £12.11

£11.51









INTERLOCKING

CUTTER STORAGE

Interlocking plastic moulded storage trays for 1/4" and 1/2" shank router cutters that clip together. Stores cutters safely

- 1/4" shank tray has 40 holes and the 1/2" shank tray has 8 holes.
- · Four trays are supplied in each pack.
- All hole sizes are fractionally oversized to allow the easy removal
- Trays can be glued into drawers or sat on a workbench for easy

CST/635/PK1 £11.51

1/4" shank x four pack. Size: 108 x 79 x 20mm.

CST/127/PK1 £11.51

1/2" shank x four pack. Size: 108 x 79 x 20mm.



RELEASABLE

CABLE TIES

Offers a quick and easy method of securing power leads for storage or to keep them safely away from the working area. The cable ties are moulded with a release tab and ratchet. These black nylon ties will tie a bundle diameter of up to 68mm.

CTR/250/10 Pack of 10	£2.90
CTR/250/25	£5.82
Pack of 25 CTR/250/50	£10.90
Pack of 50 Size: 250 x 7.5mm	





MAGNET

These magnets are nickel plated and incredibly strong, making them ideal for a variety of workshop applications with endless possibilities.

MAG/PACK/2	£7.64
Pack of four magnets	
Size: 10 x 3mm	

MAG/PACK/1 £8.96 Pack of four magnets Size: 15 x 3mm





DEPTH GAUGE

Metal rule depth gauge to help set the height of router cutters and sawblades with greater accuracy.

- · Horizontal and vertical measuring.
- For hand routers, router tables and saw benches.
- 60mm wide aperture and accurate to 0.5mm.
- 80mm measurement range.
- U section plastic injection moulding with unique cam lever lock.
- Steel rule with dual metric and imperial scale.
- Self-standing for setting cutter depth on routers tables and low profile for backfence



Patent No. GB2386085 US Patent No. US7000331





Cutter height



Horizontal depth



METRIC & IMPERIAL

IGITAL DEPTH GAUGE

Price

£2.30

LCD depth gauge for setting tool height in a plunge router, router table and saw bench.

- Opening width 60mm and 80mm measuring range.
- Metric, imperial and fraction read-out with auto-shut off of LCD.
- Removable pin for hole depth measuring up to 50.8mm.
- Readout accuracy of +/- 0.1mm.
- · Self standing with magnetic feet.
- Includes 3 volt CR2032 battery.

· Absolute and relative position functions.



REPLACEMENT PART: Product Ref.








Horizontal depth

HOW IT WORKS:

Example steps to create a 10mm x 10mm rebate









trend° 187