


Straight Router Cutters - Two Flute - 3/8" Shank

Two flutes give a clean finish to the cut edges. All cutters are suitable for plunge routers unless stated. Use TCT for abrasive materials such as chipboard, MDF, plywood, hardwoods and hard plastics. All TCT cutters above and including 9.5mmØ, have a TCT centre tip.

















øD ins.	øD mm	B mm	L mm	Product Ref.
15/64	6	16	56	3/2X3/8TC ★
1/4	6.3	16	57	3/20X3/8TC ★
1/4	6.3	25	62	3/22X3/8TC ★
5/16	8	19	55	3/4X3/8TC
23/64	9	19	55	3/5X3/8TC
3/8	9.5	25	63	3/50X3/8TC
3/8	9.5	25	63	S3/50X3/8TC
25/64	10	19	55	3/6X3/8TC
7/16	11	25	58	3/7X3/8TC
15/32	12	19	51	3/8X3/8TC
1/2	12.7	32	73	3/81X3/8TC
23/32	18.2	21	53	4/4X3/8TC
3/4	19.1	25	60	4/5X3/8TC
1	25.4	25	61	4/8X3/8TC

Straight Router Cutters - Two Flute - 1/2" Shank

øD ins. øD mm B mm L mm Product Ref. 1/8 3.2 11 56 3/10X1/2TC ★ - 4 11 63 3/0X1/2TC ★ 3/16 4.7 11 56 3/0X1/2TC ★ 15/64 6 16 61 3/2X1/2TC ★ 1/4 6.3 16 69 3/2X1/2TC ★ 1/4 6.3 25 75 3/22X1/2TC ★ 5/16 8 19 65 3/4X1/2TC 5/16 8 25 69 3/41X1/2TC 5/16 8 25 69 3/41X1/2TC 23/64 9 19 68 3/5X1/2TC 3/8 9.5 25 71 3/50X1/2TC 3/8 9.5 32 76 3/51X1/2TC 25/64 10 19 63 3/6X1/2TC 25/64 10 35 81 3/60X1/2TC 7/16 11 25 68					
- 4 11 63 3/01X1/2TC ★ 3/16 4.7 11 56 3/0X1/2TC ★ 15/64 6 16 61 3/2X1/2TC ★ 1/4 6.3 16 69 3/20X1/2TC ★ 1/4 6.3 25 75 3/22X1/2TC ★ 5/16 8 19 65 3/4X1/2TC 5/16 8 25 69 3/41X1/2TC 5/16 8 25 69 3/4X1/2TC 23/64 9 19 68 3/5X1/2TC 3/8 9.5 25 71 3/50X1/2TC 3/8 9.5 32 76 3/51X1/2TC 25/64 10 19 63 3/6X1/2TC 25/64 10 35 81 3/60X1/2TC 7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X	øD ins.	øD mm	B mm	L mm	Product Ref.
3/16 4.7 11 56 3/0X1/2TC ★ 15/64 6 16 61 3/2X1/2TC ★ 1/4 6.3 16 69 3/20X1/2TC ★ 1/4 6.3 25 75 3/22X1/2TC ★ 5/16 8 19 65 3/4X1/2TC 5/16 8 25 69 3/41X1/2TC 23/64 9 19 68 3/5X1/2TC 3/8 9.5 25 71 3/50X1/2TC 3/8 9.5 32 76 3/51X1/2TC 25/64 10 19 63 3/6X1/2TC 25/64 10 35 81 3/60X1/2TC 7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	1/8	3.2	11	56	3/10X1/2TC ★
15/64 6 16 61 3/2X1/2TC ★ 1/4 6.3 16 69 3/20X1/2TC ★ 1/4 6.3 25 75 3/22X1/2TC ★ 5/16 8 19 65 3/4X1/2TC 5/16 8 25 69 3/41X1/2TC 23/64 9 19 68 3/5X1/2TC 3/8 9.5 25 71 3/50X1/2TC 3/8 9.5 32 76 3/51X1/2TC 25/64 10 19 63 3/6X1/2TC 25/64 10 35 81 3/60X1/2TC 7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	-	4	11	63	3/01X1/2TC ★
1/4 6.3 16 69 3/20X1/2TC ★ 1/4 6.3 25 75 3/22X1/2TC ★ 5/16 8 19 65 3/4X1/2TC 5/16 8 25 69 3/4X1/2TC 23/64 9 19 68 3/5X1/2TC 3/8 9.5 25 71 3/50X1/2TC 3/8 9.5 32 76 3/51X1/2TC 25/64 10 19 63 3/6X1/2TC 25/64 10 35 81 3/60X1/2TC 7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	3/16	4.7	11	56	3/0X1/2TC ★
1/4 6.3 25 75 3/22X1/2TC ★ 5/16 8 19 65 3/4X1/2TC 5/16 8 25 69 3/41X1/2TC 23/64 9 19 68 3/5X1/2TC 3/8 9.5 25 71 3/50X1/2TC 3/8 9.5 32 76 3/51X1/2TC 25/64 10 19 63 3/6X1/2TC 25/64 10 35 81 3/60X1/2TC 7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	15/64	6	16	61	3/2X1/2TC ★
5/16 8 19 65 3/4X1/2TC 5/16 8 25 69 3/41X1/2TC 23/64 9 19 68 3/5X1/2TC 3/8 9.5 25 71 3/50X1/2TC 3/8 9.5 32 76 3/51X1/2TC 25/64 10 19 63 3/6X1/2TC 25/64 10 35 81 3/60X1/2TC 7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	1/4	6.3	16	69	3/20X1/2TC ★
5/16 8 25 69 3/41X1/2TC 23/64 9 19 68 3/5X1/2TC 3/8 9.5 25 71 3/50X1/2TC 3/8 9.5 32 76 3/51X1/2TC 25/64 10 19 63 3/6X1/2TC 25/64 10 35 81 3/60X1/2TC 7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	1/4	6.3	25	75	3/22X1/2TC ★
23/64 9 19 68 3/5X1/2TC 3/8 9.5 25 71 3/50X1/2TC 3/8 9.5 32 76 3/51X1/2TC 25/64 10 19 63 3/6X1/2TC 25/64 10 35 81 3/60X1/2TC 7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	5/16	8	19	65	3/4X1/2TC
3/8 9.5 25 71 3/50X1/2TC 3/8 9.5 32 76 3/51X1/2TC 25/64 10 19 63 3/6X1/2TC 25/64 10 35 81 3/60X1/2TC 7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	5/16	8	25	69	3/41X1/2TC
3/8 9.5 32 76 3/51X1/2TC 25/64 10 19 63 3/6X1/2TC 25/64 10 35 81 3/60X1/2TC 7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	23/64	9	19	68	3/5X1/2TC
25/64 10 19 63 3/6X1/2TC 25/64 10 35 81 3/60X1/2TC 7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	3/8	9.5	25	71	3/50X1/2TC
25/64 10 35 81 3/60X1/2TC 7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	3/8	9.5	32	76	3/51X1/2TC
7/16 11 25 68 3/7X1/2TC 15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	25/64	10	19	63	3/6X1/2TC
15/32 12 19 61 3/8X1/2TC 15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	25/64	10	35	81	3/60X1/2TC
15/32 12 25 68 3/71X1/2TC 15/32 12 32 73 3/74X1/2TC	7/16	11	25	68	3/7X1/2TC
15/32 12 32 73 3/74X1/2TC	15/32	12	19	61	3/8X1/2TC
	15/32	12	25	68	3/71X1/2TC
15/32 12 38 80 3/72X1/2TC	15/32	12	32	73	3/74X1/2TC
	15/32	12	38	80	3/72X1/2TC

- These cutters have Solid Carbide inserts rather than brazed tips.
- These cutters have no centre TC tip and are not suitable for plunging abrasive materials.
- NB Diameter dimensions shown in **bold** denote exact size.

