

OSHA Hazcom Standard 29 CFR 910.1200 LEAF/HS/U\*DWSHP

Date of issue: 20th Jan 2017 Revision date: 20th Jan 2017 Replaces version 2.0 Version:3.0

dated: 28th May 2015

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Honing Compound Bar

Product code : U\*DWS/HP/US, 12680 Micro Fine Honing Compound

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Abrasive/buffing compound

# 1.2.2. Uses advised against

No additional information available.

### 1.3. Details of the supplier of the safety data sheet

Trend Routing Technology Inc. 7351 West Friendly Avenue, Suite A Greensboro NC 37410 USA

T (336)-292-5051 F (336)-292-5061

lamuragliaj@trend-usa.com www.trend-usa.com

1.4. Emergency telephone number

Emergency number : 1(616)-456-5458 Formax Mfg. Corporation

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (19 CFR 1910.1200)

Full text of H-phrases: see section 16

2.2. Label elements

GHS label elements : The product is classified and labeled according to the Globally Harmonized

System (GHS)

Hazard pictograms : Non-regulated material

Signal word : None
Hazard-determining components of labeling : None
Hazard statements : None

Precautionary statements : P201 - Obtain special instructions before use

Unknown acute toxicity : 2% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other hazards

Hazards not otherwise classified (HNOC) Not applicable

## Other information

May cause slight eye irritation

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION.

# **SECTION 3: Composition/information on ingredients**

Chemical characterization

# 3.1. Substances

Not applicable

### 3.2. Mixture

Chemical Name	CAS No.	Weight %	Trade Secret
Aluminum oxide	1344-28-1	30 - 60	*
Chromium (III) oxide	1308-38-9	15 - 40	*
Stearic acid	57-114-4	5 - 10	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

EN (English) 1/7



OSHA Hazcom Standard 29 CFR 910.1200 LEAF/HS/U\*DWSHP

Date of issue: 20th Jan 2017 Revision date: 20th Jan 2017 Replaces version 2.0 Version:3.0

dated: 28th May 2015

**SECTION 4: First aid measures** 

4.1. Description of first aid measures

First-aid measures after inhalation : Remove to fresh air. If symptoms persist, call a physician.

First-aid measures after skin contact : Wash skin with soap and water. In case of skin irritation or allergic reactions

see a physician.

First-aid measures after eye contact : Rinse opened eye for at least 15 minutes under running water. If symptoms

persist consult a doctor.

First-aid measures after ingestion : Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a

physician.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

Notes to physician : Treat symptomatically.

**SECTION 5: Firefighting measures** 

5.1. Extinguishing media

Suitable extinguishing agents : Use extinguishing measures that are appropriate to local circumstances and

the surrounding environment.

Unsuitable extinguishing media : CAUTION: Use of Water spray when fighting fire may be in efficient.

5.2. Special hazards arising from the substance or mixture

No further relevant information available.

5.3. Advice for firefighters

Protective equipment : As in any fire , wear self-contained breathing apparatus pressure-demand,

MSHA/NIOSH (approved or equivalent) and full protective gear.

**Explosion data** 

Sensitivity to mechanical impact : No Sensitivity to static discharge : No

**SECTION 6: Accidental release measures** 

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with eyes.

6.1.2. For emergency responders

Protective equipment : No information available. Emergency procedures : No information available.

6.2. Environmental precautions

Refer to protective measures listed in Sections 7 and 8.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Prevent further leakage or spillage if safe to do so. Methods for cleaning up : Pick up and transfer to properly labeled containers.

6.4. Reference to other sections

No further information available.

**SECTION 7: Handling and storage** 

7.1. Precautions for safe handling

Precautions for safe handling : Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

Incompatible products : Store away from strong acids or oxidizers. Incompatible materials : None known based on information supplied.

EN (English) 2/7



OSHA Hazcom Standard 29 CFR 910.1200 LEAF/HS/U\*DWSHP

Date of issue: 20th Jan 2017 Revision date: 20th Jan 2017 Replaces version 2.0 Version:3.0

dated: 28th May 2015

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.2. Exposure Limit Values

### **Exposed guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum oxide 1344-28-1	TWA: 1 mg/m3 respirable fraction	TWA: 15 mg/m3 total dust TWA: 5 mg/m3 respirable fraction vacated (TWA):5 mg/m3 total dust vacated (TWA): 5 mg/m3 respirable fraction	
Chromium (III) oxide 1308-38-9		TWA: 05 mg/m3 Cr (vacated) TWA: 0.5	IDLH: 25 mg/m3 Cr(III) TWA: 0.5 mg/m3 Cr

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Death.

# Other exposure guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F .2d 962 (11th Cit., 1992) See Section 15 for national exposure control parameters.

## 8.2. Exposure controls

Odor

Appropriate engineering controls

Engineering measures : Showers

: Eyewash stations

: Ventilation systems

Personal protective equipment

Eye/face protection : For buffing machine wear safety glasses and /or face shield helmets. See

OSH 29 CFR 1910.122 (Safety Glasses).

: Protective work clothing, heavy duty gloves, body apron or belly pads, Skin and body protection

safety shoes as needed.

Respiratory protection : Respiratory protection (specify type): OSHA 24 CFR/134 NIOSH/MSHA

Approved respirators for particulates from buffing debris. If exposure limits are exceeded or irritation is experienced, ventilation and evaporation may

be required.

Hearing protection

: Avoid prolonged excessive noise levels created by buffing and polishing operations. See: OSHA 26 CFR 1910.215 (Hearing Protection). Select glove material based on penetration times, rates of diffusion and

degradation

Hygienic measures : Handle in accordance with good industrial hygiene and safety practice.

Fatty odor

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state

Appearance premolded cake form Color Dark green

Odor threshold No information available

Relative evaporation rate

Nil Melting point 131°F

Freezing point No data available No data available Boiling point Flash point No data available Flammability (solid, gas) No data available Upper flammability limit in air No data available Lower flammability limit in air No data available Vapor pressure No data available

> EN (English) 3/7



OSHA Hazcom Standard 29 CFR 910.1200 LEAF/HS/U\*DWSHP

Date of issue: 20th Jan 2017 Revision date: 20th Jan 2017 Replaces version 2.0 Version:3.0

dated: 28th May 2015

Vapor density No data available Specific gravity No data available Water solubility Negligible Solubility in other solvents No data available Partition coefficient (n-octanol/water) No data available Auto ignition temperature No data available Decomposition temperature No data available Kinematic viscosity No data available Dynamic viscosity No data available Explosive properties No data available Oxidizing properties No data available

9.2. Other information

Softening point No data available VOC content (%) No data available Particle size No data available Particle size distribution No data available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

#### 10.4. Conditions to avoid

Using under conditions of insufficient dust collecting systems or ventilation.

# 10.5. Incompatible materials

Strong oxidizers or Reducing agents.

# 10.6. Hazardous decomposition products

Carbon oxides.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### Information on likely routes of exposure

Product information : Product does not present an acute toxicity hazard based on known or

supplied information.

Inhalation Specific test data for the substance or mixture is not available. Eye contact Specific test data for the substance or mixture is not available. Skin contact Specific test data for the substance or mixture is not available. Specific test data for the substance or mixture is not available. Ingestion

Component information

Aluminum oxide (1344-28-1) > 5000 mg/kg I D50 oral rat LD50 dermal LC50 inhalation

# Information on toxicological effects

: No information available Symptoms

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available Mutagenic effects No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as

a carcinogen.

Chromium (III) oxide (1308-38-9) ACGIH IARC Group 3 NTP

> EN (English) 4/7



OSHA Hazcom Standard 29 CFR 910.1200 LEAF/HS/U\*DWSHP

Date of issue: 20th Jan 2017 Revision date: 20th Jan 2017 Replaces version 2.0 Version:3.0

dated: 28th May 2015

# <u>OS</u>HA

## IARC (International Agency for Research on Cancer)

Group 3 - Not classified as to Carcinogenicity in Humans

Reproductive toxicity : No information available STOT - single exposure : No information available STOT - repeated exposure : No information available

Chronic toxicity : No known effect based on information supplied. Carcinogenic potential is

unknown.

Target organ effects : Eyes. Respiratory system. Skin. Lungs.

Aspiration hazard : No information available

### Numerical measures of toxicity - product information

The following values are calculated based on chapter : Not applicable

3.1 of the GHS document.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

The environmental impact of this product has not been fully investigated.

### 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

No information available.

# 12.6. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste disposal recommendations

: This material, as supplied, is not hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging : Dispose of contents/container in accordance with local regulations.

Chromium (III) oxide (1308-38-9)	
RCRA	
RCRA - Basis for Listing	
RCRA - D Series Wastes	D007
RCRA - U Series Wastes	

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Chromium (III) oxide	Toxic
(1308-38-9)	Corrosive
	Ignitable

### **SECTION 14: Transport information**

**DOT** : NOT REGULATED

Proper shipping name : NMFC-48580 Scouring Compound (cake, paste or liquid form N.O.I.)

Hazard class : Not applicable

TDG : Not regulated

EN (English) 5/7



OSHA Hazcom Standard 29 CFR 910.1200 LEAF/HS/U\*DWSHP

Date of issue: 20th Jan 2017 Revision date: 20th Jan 2017 Replaces version 2.0 Version:3.0 dated: 28th May 2015

: Not regulated

: Not regulated

ICAO : Not regulated

IATA: Not regulatedProper shipping name: NON REGULATEDHazard class: Not applicable

IMDG/IMO : Not regulated

Hazard class : Not applicable

ADR : Not regulated

ADN : Not regulated

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International inventories

TSCA : Complies

DSL : All components on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8 (b) Inventory

DSL/NDSL - Canadian Domestic Substances List /Non-Domestic Substances List

# US Federal Regulations

#### **SARA 313**

MEX

RID

Section 313 of title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS no	Weight-%	SARA 313 - Threshold Values %
Aluminum oxide (1344-28-1)	1344-28-1	30 - 60	1.0
Chromium (III) oxide (1308-38-9)	1308-38-9	15 - 40	0.1

## SARA 311/312 Hazard categories

Acute heath hazard : No
Chronic health hazard : No
Fire hazard : No
Sudden release of pressure hazard : No
Reactive hazard : No

# **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic	CWA - Priority	CWA - Hazardous
	Quantities	Pollutants	Pollutants	Substances
Chromium (III) oxide (1308-38-9)		X		

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There maybe specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# **USA State Regulations**

### Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennysylvania	Rhode Island	Illinois
Aluminum oxide (13344-28-1)	X	x	X	X	
Chromium (III) oxide (1308-38-9)	Х	X	Х	Х	х
Supplier Trade Secret			X		

EN (English) 6/7



OSHA Hazcom Standard 29 CFR 910.1200 LEAF/HS/U\*DWSHP

Revision date: 20th Jan 2017 Replaces version 2.0 Version:3.0 Date of issue: 20th Jan 2017 dated: 28th May 2015

### International Regulations

### Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Aluminum oxide (1344-28-1) (30 - 60)		Mexico: TWA = 10 mg/m3
Chromium (III) oxide (1308-38-9) (15 - 40)		Mexico: TWA = 0.5 mg/m3

Mexico - Occupational Exposure Limits

Canada

WHMIS Hazard class : Non controlled

# **SECTION 16: Other information**

NFPA	Health hazards 1	Flammability 0	Instability 0	Physical and chemical hazards -
HMIS	Health hazards 1	Flammability 0	Instability 0	Physical and chemical hazards - X

User notes : Sections revised Header, 16

Revision due to material specification change

: Suppliers own data sheet (Formax MFG. Corporation), issued 02/02/2015, revision date 01 Jan 2014, revision date 25 Sept 2014 revision 1.

: Not applicable Data sources

Other information

Trend SDS reference : LEAF/HS/U\*DWSHP

### Full text:

ADR	Accord européen sur le transport des marchandises dangereuses par Route	
	(European Agreement concerning the International Carriage of Dangerous	
	Goods by Road)	
ADN	The European Agreement concerning the International Carriage of	
	Dangerous Goods by Inland Waterways	
IMDG	International Maritime Code for Dangerous Goods	
DOT	US Department of Transportation	
IATA	International Air Transport Association	
IARC	International Agency for Research on Cancer	
ACGIH	American Conference of Governmental Industrial Hygienists	
CAS	Chemical Abstracts Service (division of the American Chemical Society)	
NFPA	National Fire Protection Association (USA)	
HMIS	Hazardous Materials Identification System (USA)	
STOT	Specific Target Organ Toxicity	
NTP	National toxicology Program	
OSHA	Occupational Safety and Health Administration	
GHS	Global Harmonised Standard	
RCRA	Resource Conservation and Recovery Act	
TDG	Transport of Dangerous Goods	
ICAO	International Civilian Aviation Organization	
IMO	International Maritime Organization	
RID	Reglement concernant le transport International ferroviare des	
	merchandises Dangereuses par chemin de fer (European Agreement	
	Concerning the International Carriage of Dangerous Goods by Rail)	
TSCA	United States Toxic Substances Control Act Section 8 (b) Inventory	
DSL	Canadian Domestic Substances List	
NDSL	Canadian Non-Domestic Substances List	
SARA	Superfund Amendments and Reauthorization Act	
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	
CWA	Clean Water Act	
TLV	Threshold Limit Value	
TWA	Time Weighted Average	
PEL	Permissible Exposure Limits	
NIOSH	National Institute of Occupational Safety and Health	
IDLH	Immediately Dangerous to Life or Death	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

> EN (English) 7/7