



SUPERLINE PRO® HEAVY-DUTY RACKING UNIT WITH 3 MESH SHELVES 1000KG CAPACITY PER LEVEL

MODEL NO: **AP1011**

Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.



Refer to
instruction
manual

1. SAFETY

- ☐ **WARNING!** Ensure Health & Safety, and local authority regulations are adhered to when assembling and using these racks.
- ✓ Keep the general area clean, uncluttered and ensure there is adequate lighting.
- ✓ Keep children and unauthorised persons away from the area.
- ✗ **DO NOT** use the racks for any purpose other than that for which they are designed.
- ✗ **DO NOT** get the racks wet or use in damp or wet locations or areas where there is condensation.
- ✗ **DO NOT** clean with any solvents which may damage the coated surface.
- ✓ Ensure that the racks are properly assembled before loading them.
- ✓ Load must be evenly distributed.
- ☐ **WARNING!** Racks should be fixed to the wall with suitable fixings.

2. INTRODUCTION


Textured powder coat steel frame with three powder coated steel mesh shelves. Industrial structured beams offer added strength with 1000kg capacity per level, giving a maximum capacity of 3000kg per rack. Open design with no middle cross beams allows storage of longer materials and equipment. Customise shelf heights to maximise available storage space. Boltless design means no tools required to assemble.

3. SPECIFICATION

Model No:	AP1011
Capacity:	3000kg
Nett Weight:	88.6kg
Overall Size (W x D x H):	3600 x 600 x 2090mm
Shelf Capacity:	1000kg


4. CONTENTS

1	Upright	Ax3
2	Beam	Bx12
3	Brace	Cx18
4	Wire Shelving	Dx12




4.1. FIXINGS


A	Wall Fixing (Plasterboard Wall)	X2
B	Wall plug	X2
C	Cross head screw	X2
D	Washer	X2




5. ASSEMBLY



STEP 1



STEP 2



STEP 3

Step 1. ASSEMBLE THE BASE

Slot the (B) beams into the bottom of the (A) uprights, engaging with the opposing keyholes in the second and third holes from the bottom, as shown.

NOTE: Ensure the flat edges of the beams face outwards.

Tap the beams gently with a rubber mallet to fully engage the rivets into the bottom of the keyholes.

Step 2. ASSEMBLE THE FRAME


Fit the (B) beams to the top of the (A) uprights, engaging with the opposing keyholes, as shown, to form the frame.

NOTE: Ensure the flat edges of the beams face outwards.


Tap the beams gently with a rubber mallet to fully engage the rivets to the bottom of the keyholes.

Step 3. FIT THE BRACES

Slot the (C) braces into position through the holes provided in the (B) beams.



STEP 4



STEP 5

Step 4. FIT THE WIRE SHELVEING

Place the (D) wire shelving between the beams, as shown.


Step 5. ASSEMBLE THE EXTENSION

Slot the (B) beams into the bottom of the (A) uprights, engaging with the opposing keyholes in the second and third holes from the bottom, as shown.

NOTE: Ensure the flat edges of the beams face outwards.

Tap the beams gently with a rubber mallet to fully engage the rivets into the bottom of the keyholes.


STEP 6



Step 6. ASSEMBLE THE FRAME

Fasten the (B) beams to the top of the (A) uprights, engaging with the opposing keyholes to form the frame, as shown.


STEP 7



Step 7. FIT THE BRACES

Slot the (C) braces into position through the holes provided in the (B) beams.

STEP 8




Step 8. FIT THE WIRE SHELVING


Place the (D) wire shelving between the beams, as shown.

STEP 9

Fixing to Brick/Masonry Wall



Fixing to a Plasterboard Wall



Step 9. FIXING TO THE WALL

- ❑ **WARNING!** It is strongly recommended that this product is securely anchored. Furniture that tips over can cause serious injury or death. A tip-over prevention kit is supplied with this product to help prevent it from tipping forwards. For your safety, securely fix the product to a wall or other solid structure.

IMPORTANT: Regularly check that the wall fixings remain secure. The stability of tall furniture may be affected by thick-pile carpets or uneven floors.

CAUTION: Before fitting to the wall, please observe the following:

1. Check for concealed electrical cables, water pipes or gas pipes before drilling into the wall. If you are unsure, seek advice from a qualified tradesperson.
2. Walls are constructed from different materials, such as solid masonry or plasterboard-lined cavity walls. Always use fixings that are suitable for your wall type. If necessary, seek advice from a qualified hardware retailer or tradesperson.



ENVIRONMENT PROTECTION

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.

Note: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice.

Important: No Liability is accepted for incorrect use of this product.

Warranty: Guarantee is 60 months from purchase date, proof of which is required for any claim.



REGISTER YOUR PURCHASE HERE

Jack Sealey (EU) Ltd t/a Sealey Group Farney Street, Carrickmacross, Co. Monaghan, A81 PK68 Ireland
Jack Sealey Ltd t/a Sealey Group Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk, IP32 7AR UK
Tel: 01284 757500 • Email: sales@sealey.co.uk • Web: www.sealey.co.uk