

# THREE STEP SAFETY STEPS, HEAVY-DUTY BUILD, ANTI-SLIP TREADS, RUBBER FEET, 150KG CAPACITY, 730MM HEIGHT, YELLOW

MODEL NO: KS7

Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.

#### 1. SAFETY

- WARNING! Risk of fall from the step.
- ✓ Ensure the step is suitable for the task.
- ✓ The maximum number of users is 1.
- ✓ Inspect the step after delivery. Before every use visually check the step is not damaged and is safe to use.
- ✓ Familiarise yourself with the step before use.
- ✓ The step should not move when weight is applied.
- ✓ Employers should ensure employees are competent using the equipment for work.
- ✓ Ensure the base sits firmly on the floor before use.
- ✓ Wear suitable non-slip footwear when using the step.
- ✓ Use caution when stepping up the steps in windy conditions.
- DO NOT use if damaged.
- **DO NOT** exceed the maximum load of 150kg.
- DO NOT place step on contaminated ground.
- **DO NOT** use the step on an unlevel or unfirm base.
- DO NOT overreach.
- ✓ Move the step if necessary, or use alternative equipment if the step is unsuitable.
- DO NOT use step to access heavy equipment stored at height.
- **DO NOT** step off the side of step onto another surface.
- **DO NOT** ascend or descend unless you are facing the step.
- ✓ Avoid work that imposes a sideways load on step, such as side-on drilling through solid materials.
- DO NOT carry equipment which is heavy or difficult to handle while using step.
- DO NOT carry items in both hands when stepping onto the step.
- **DO NOT** wear unsuitable footwear when climbing the step.
- DO NOT use the step if you are not fit enough. Certain medical conditions or medication, alcohol or drug abuse could make use of step unsafe.
- **DO NOT** spend long periods on a step without regular breaks (tiredness is a risk).
- Prevent damage of the step when transporting e.g. by fastening and, ensure they are suitably placed to prevent damage.
- **DO NOT** use the step if contaminated, e.g. with wet paint, mud, oil or snow.
- **DO NOT** use the step outside in adverse weather conditions, such as strong wind.
- ✓ For professional use a risk assessment shall be carried out respecting the legislation in the country of use.
- ✓ When positioning the step take into account risk of collision with the step e.g. from pedestrians, vehicles or doors. Secure doors (not fire exits) and windows where possible in the work area.

#### □ WARNING! ELECTRICAL HAZARDS.

- ✓ Identify any electrical risks in the work area, such as overhead lines or other exposed electrical equipment and do not use the step where electrical risks occur. Use non-conductive step for unavoidable live electrical work.
- DO NOT use the step as a bridge.
- DO NOT modify the step design.
- **DO NOT** move the step while standing on it.
- **DO NOT** use the equipment if the base is damaged and the step slips when under load.

### FOR SAFETY PURPOSES, TREAT STEP AS A LADDER SEE BELOW.

	Refer to instruction manual/booklet.	Maximum total load.	50 max. 150 kg
	WARNING fall from ladder.	<b>DO NOT</b> use ladder on an unlevel or unfirm base.	×
Į×	Inspect the ladder after delivery. Before every use visually inspect the ladder to check it is not damaged and is safe to use.  DO NOT use a damaged ladder.	DO NOT overreach.	X



×	DO NOT erect ladder on contaminated ground.	Keep a secure grip on the ladder when ascending and descending. Maintain a handhold whilst working from a ladder or take additional safety precautions if you cannot.	<b>*</b>
max. 1 🗸	Maximum number of users.	Avoid work that imposes a sideways load on ladders, such as side-on drilling through solid materials.	<b>*</b>
**	<b>DO NOT</b> ascend or descend unless you are Facing the ladder.	DO NOT carry equipment which is heavy or difficult to handle while using a ladder.	<b>\</b>
00°	DO NOT wear unsuitable footwear when climbing a ladder.	WARNING, electricity hazard Identify any electrical risks in the work area, such as overhead lines or other exposed electrical equipment and do not use the ladder where electrical risks occur.	EN ISO 7010-W012
X	DO NOT use the ladder if you are not fit enough. Certain medical conditions or medication, alcohol or drug abuse could make ladder use unsafe.		×
×××	DO NOT use the ladder as a bridge.	Ladder for professional use.	<b>6</b>
K××	<b>DO NOT</b> step off the side of standing ladder onto another surface.		

## 2. INTRODUCTION

Constructed with 5.8mm thick walls for industrial-grade durability. Each step features a textured, anti-slip surface for secure footing in wet or dry conditions. Supports up to 150kg and is resistant to moisture and common industrial chemicals. Lightweight at just 11.1kg for easy manoeuvrability, with integrated cut-out handles for convenient lifting and transport. Fitted with rubber feet to prevent slipping and protect floor surfaces. Measures 730mm in overall height for extended reach and access. Suitable for warehouses, workshops, and wash-down areas. Bright yellow finish enhances visibility and safety in busy environments.

# 3. SPECIFICATION

Model No:	KS7
Base Size:	585 x 890 mm (W x D)
Material:	HDPE
Maximum Capacity:	150kg (Max 1 Person)

Nett Weight:	11.1 kg
Step Heights:	243mm + 486mm + 730mm
Top Step Size:	430 x 290 mm (W x D)

# 4. MAINTENANCE

- 4.1. CLEANING
- 4.1.1. Wipe clean with a soft damp cloth.
- 4.2. STORAGE
- 4.2.1. Store in a clean, dry environment.
- 4.3. MAINTENANCE
- 4.3.1. Before every use visually check the step is not damaged and is safe to use.
- 4.3.2. Replace the product if damaged.





### **ENVIRONMENT PROTECTION**

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.



**Note:** It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice. Please note that other versions of this product are available. If you require documentation for alternative versions, please email or call our technical team on technical@sealey.co.uk or 01284 757505.

Important: No Liability is accepted for incorrect use of this product.

Warranty: Guarantee is 12 months from purchase date, proof of which is required for any claim.

Jack Sealey Ltd t/a Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk, IP32 7AR UK Jack Sealey (EU) Ltd t/a Sealey Group, Farney Street, Carrickmacross, Co. Monaghan, A81 PK68 Ireland Tel: 01284 757500 • Email: sales@sealey.co.uk • Web: www.sealey.co.uk