



FOLDING SAW HORSE 100KG CAPACITY

MODEL NO: LSH100

Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.



Refer to
instruction
manual



Wear eye
protection



Wear protective
gloves

1. SAFETY

- ✓ Maintain the log rack in good condition.
- ✓ Replace or repair damaged parts. Use recommended parts only. Unauthorised parts may be dangerous and will invalidate the warranty.
- ✗ **DO NOT** modify the product.
- ✓ Inspect before each use. Check security of fasteners.
- ✓ Keep the log rack clean.
- ✓ Locate the log rack in a suitable working area. Keep area clean and tidy and ensure there is adequate lighting. Keep bystanders away.
- ✓ Ensure legs are deployed and locked into position.
- ✓ Ensure the log is correctly held and balanced before commencing work. Consider using straps or additional clamps to secure the log. **DO NOT** allow logs to move whilst being cut.
- ✗ **DO NOT** exceed the weight capacity.
- ✗ **DO NOT** attempt to cut logs that exceed the rated diameter. **DO NOT** attempt to cut logs that are too long and will upset the stability of the saw horse.
- ✓ Maintain correct balance and footing. Ensure the floor/ground is not slippery and wear non-slip shoes and appropriate protective clothing for the task in hand. Follow all safety protocols for the tool being used to cut the log.
- ✗ **DO NOT** use the log rack for any purpose other than that for which it is designed.
- ✗ **DO NOT** operate the log rack if any parts are missing as this may cause failure and/or personal injury.
- ✗ **DO NOT** use the log rack if you are tired or under the influence of drugs, alcohol or medication.

2. INTRODUCTION

100kg capacity log sawhorse with 380mm log diameter to accommodate larger logs. Adjustable clamping adapts to different wood diameters. Fold-flat frame for space-saving storage and portability. Serrated sawhorse teeth clamp wood firmly for accurate cuts.




3. SPECIFICATION

Max. Log Diameter:..... 380mm

4. FEATURES




5. CONTENTS

	A	6
	B	4
	C	2
	D	2
	1	19
	2	21
	3	18
	4	3
	5	6
	6	3
	7	2
	8	3

6. ASSEMBLY


Step 1



STEP 1: FIT HANDLES

1. Take 4 long frame pieces (A).
2. Attach handles (B) to each frame piece using:
Screw (1) through the handle into the frame.
Secure with washer (2) and nut (3) on the inside.
3. Repeat for all four handles.


Step 2



STEP 2: ASSEMBLE CROSS PIECE FRAMES

1. Arrange 6 long frame pieces (A) into three pairs to form three "X" shapes.
2. For each pair:
 - Overlap the pieces at the centre.
 - Fix them together using: Bolt (6) through the centre.
 - Add large washer (5) on both sides.
 - Secure with locking nut (4).
3. You should now have 3 X-shaped assemblies.

Step 3



STEP 3: FIT CROSS PIECES

1. Position the three X-shaped assemblies upright.
2. Attach short cross pieces (C) between the front and middle assembly.
3. Attach long cross pieces (D) between the middle and back assembly.
4. Use screws (1), washers (2), and nuts (3) to secure each cross piece.

7. OPERATION

- 7.1. Follow recommendations in Safety section.
- 7.2. Unfold to use.
- 7.3. Check security of fixings before use.
- 7.4. Check for stability before using to cut logs.

8. MAINTENANCE

- 8.1. Lubricate hinge points.
- 8.2. Keep clean and store in a dry place.



ENVIRONMENT PROTECTION

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.



REGISTER YOUR PURCHASE HERE

Note: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice.

Important: No Liability is accepted for incorrect use of this product.

Warranty: Guarantee is 12 months from purchase date, proof of which is required for any claim.

Jack Sealey Ltd t/a Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk, IP32 7AR UK
 Jack Sealey (EU) Ltd t/a Sealey Group, Farney Street, Carrickmacross, Co. Monaghan, A81 PK68 Ireland
 Tel: 01284 757500 • Email: sales@sealey.co.uk • Web: www.sealey.co.uk