

RESHAPING TOOL WHEEL ARCH

MODEL NO: SAR01

Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.







Refer to instruction manual

Wear eye protection

Wear protective gloves

1. SAFETY

- WARNING! Ensure Health & Safety, local authority and general workshop practice regulations are adhered to when using this equipment.
- ✓ This tool is to be used for wheel arch collision repair or to increase wheel arch clearance. **DO NOT** use it for any other purpose it is not designed to perform.
- ✓ Keep children and unauthorised persons away from the work area.
- √ Remove loose clothing. Remove ties, watches, rings and other loose jewellery and contain long hair.
- ✓ Always wear approved safety goggles when operating this tool.
- ✓ Keep proper balance and footing, DO NOT overreach and wear non slip shoes.
- ✓ Only use this tool on a surface that is stable level and smooth, which is capable of withstanding the load. Keep the work area clean and tidy, free from unrelated materials and ensure there is adequate lighting.
- ✓ Inspect tool before each use. DO NOT use if bent, broken or cracked or otherwise damaged.
- ➤ DO NOT operate this tool when tired or under the influence of alcohol, drugs or any intoxicating medication.
- DO NOT allow untrained persons to operate this tool and DO NOT make any modifications to the tool.
- DO NOT expose to rain or snow.
- ✓ Use a qualified person to maintain the tool in good condition. Keep it clean for best and safest performance.
- ✓ If the tool needs repairing and/or if there are any parts that need replacing, have it repaired by authorised technicians and use only replacement parts supplied by the manufacturer.
- WARNING! The warnings, cautions and instructions in this manual cannot cover all possible situations that may occur. It must be understood that common sense and caution are factors that can not be built into this product, but must be supplied by the operator.

2. INTRODUCTION

Reshaping tool designed for repairing wheel arch collision damage or for increasing tire to wing clearance by flaring wheel arches. Fully adjustable telescopic arm that allows 180-degree wheel swivel. Elongated holes on the hub adaptor plate suitable for vehicles with various four & five stud/bolt patterns. Bolts directly to the hub assembly. Attached hitch pin allows for change in angle.

3. OPERATION

- 3.1. Place vehicle on a lift or jack up and support weight of the car safely with adequately rated supports.
- 3.2. Remove wheel arch liner.
- 3.3. Clean all areas where the tool will touch the bodywork.
- 3.4. Fit tool to wheel fixings. If vehicle has tapered nuts/bolts use tapered fixings supplied. Check fixings are tight.
- 3.5. Sweep tool across working area to test access.
 - Note: If inner wheel arch is bonded to outer wheel arch it will be more difficult to reshape.
- 3.6. Adjust tool to wheel arch. Move tool back and forth whilst winding in the t bar, which pushes the tool against the panel.
- 3.7. WHEEL ARCH LIP RESHAPING
- 3.7.1. Heat area to be reshaped in order to prevent paint cracking.
- 3.7.2. Use tool to push wheel arch lip whilst maintaining heat in panel and lip.



© Jack Sealey Limited Original Language Version SAR01 Issue:1 08/06/22



ENVIRONMENT PROTECTION

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.

Note: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice.

Important: No Liability is accepted for incorrect use of this product.

Warranty: Guarantee is 12 months from purchase date, proof of which is required for any claim.



Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR

1 01284 757500 01284 703534 sales@sealey.co.uk www.sealey.co.uk