



# DELUXE FACE SHIELD

MODEL NO: **SSP80**

Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

**IMPORTANT:** PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.



Refer to instructions

## 1. SAFETY

- ✓ Use of this face shield is for face and eye protection against low energy impact and splashing liquids.
- ✓ Inspect the face shield frequently as a pitted or scratched face shield reduces vision and therefore should be replaced immediately.
- ✓ When necessary, use identical replacement parts contact your Sealey stockist.
- ✓ Use in an environment between -5°C and +55°C.
- ✓ Be aware if wearing standard ophthalmic spectacles they may transmit impacts, creating a hazard for the user.
- ✗ **DO NOT** use if any part of the face shield is cracked or broken.
- ✗ **DO NOT** place this product on a hot surface.
- ✗ **DO NOT** use this face shield for protection against fine dust, gas, ultra violet or infra red radiation, ionising radiation, liquids under pressure or other severe hazards.
- ✗ **DO NOT** use this face shield against heavy impact hazards, the lens is breakable.
- ✗ **DO NOT** use this face shield for welding, laser cutting or grinding.

## 2. INTRODUCTION

Ratchet adjustable headband with front and back padding for extra comfort. Polycarbonate visor for increased protection, stability and durability. Stepped angle adjustment on visor which simply flips up out of the way when not in use. Suitable for use with standard glasses. Premium quality for automotive, agricultural and industrial applications. EN ISO 16321-1:2022 Optical Class 1 Impact Grade C.

## 3. SPECIFICATION

MODEL NO:.....SSP80  
 Consumable Parts:  
 ..... SSP80PAPR.H13 - Replacement Visor  
 Lens Type: ..... Clear

## 4. COMPONENTS



Refer to fig.1

- 4.1. The face shield is supplied assembled. Refer to diagram for location of individual components.  
 Visor (1), Frame (2), Headgear parts (3)

## 5. ADJUSTING THE MASK

Refer to fig.2

- 5.1. In use ensure the visor sits comfortably over the face.  
 5.2. Circumference Adjustment: by pushing and turning the thumb wheel at the back of the head band.  
 5.3. Adjust top of head band by releasing poppers.  
 5.4. Tilt adjustment: pull levers outwards on each side.  
 5.5. Forward/backward adjustment: release thumb wheels to allow adjustment.



## 6. MAINTENANCE

### 6.1. CHANGING THE VISOR

- 6.1.1. Release the stud from the bottom of the outside front of the face shield.
- 6.1.2. Release the two tags on the outside bottom edge of the visor.
- 6.1.3. Release the two sides and pull downwards to release the visor.
- 6.1.4. Fitting a new visor is the reverse of the above.

### 6.2. CLEANING AND DISINFECTION

- \* **DO NOT** use abrasive materials.
- 6.2.1. Materials used: Lens PC, Frame PP plastic, Headgear PE plastic.
- 6.2.2. The lens is not scratch resistant. Be very careful when wiping, keep this to a minimum and use a soft, non-friction cloth.
- 6.2.3. Clean with soap and warm water or with ordinary household disinfectant.

### 6.3. INSPECTION

- 6.3.1. Face shields should be periodically inspected and cleaned. If it is damaged, pitted or anything that seriously affects the vision through it, the lens/face guard must be replaced.

## 7. STORAGE

- 7.1. Good storage conditions are very important for the service life of face shield. It should be stored at temperatures higher than 5°C and lower than 40°C and 90% relative humidity. It should be kept away from solvents, solvent vapours or any corrosive materials, because the protection effect of face shield may be seriously reduced.
- 7.2. It is recommended that you put it in a protective bag or box when not in use and store in a safe place.
- 7.3. Product life is 2 years from date of purchase.

This document has been drawn up according to Regulation (EU) 2016/425 as amended to apply to GB for Personal Protective Equipment. The declaration of conformity can be accessed at [www.sealey.co.uk](http://www.sealey.co.uk).



#### ENVIRONMENT PROTECTION

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.



**Note:** It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts

**Important:** No Liability is accepted for incorrect use of this product.

**Warranty:** Guarantee is 12 months from purchase date, proof of which is required for any claim.

**Jack Sealey Ltd t/a Sealey Group**, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk, IP32 7AR UK  
**Jack Sealey (EU) Ltd t/a Sealey Group**, Farney Street, Carrickmacross, Co. Monaghan, A81 PK68 Ireland  
Tel: 01284 757500 • Email: [sales@sealey.co.uk](mailto:sales@sealey.co.uk) • Web: [www.sealey.co.uk](http://www.sealey.co.uk)