



# INSTRUCTIONS FOR MULTIPURPOSE SYPHON & PUMP KIT MODEL NO: TP50.V3

Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

**IMPORTANT:** PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.



Refer to instructions



Wear eye protection



Wear protective gloves



Wear safety footwear



Wear protective clothing

## 1. SAFETY

- WARNING!** DO NOT operate using flammable liquids in a confined space, the area should have adequate ventilation.
- ✓ If pumping flammable liquids, avoid proximity to naked flames or welding operations.
- ✓ Wear appropriate protective clothing when pumping solvents. We recommend eye/face and hand protection, available from your authorised Sealey dealer.
- ✓ Ensure Health & Safety, local authority, and general workshop practice regulations are adhered to when using this equipment.
- ✓ Ensure spillages are dealt with immediately. Failure to do so could lead to personal injury or damage to the environment and possible prosecution by the authorities.
- ✓ Keep children away from areas where solvents are being used.

## 2. INTRODUCTION

Composite pump assembly suitable for the syphoning of fluids including diesel, petrol, oil, detergents and pesticides. Not suitable for use with aggressive detergents and solvents. Supplied with 2 x 1300mm transfer hose and 1200mm narrow bore hose for performing oil extraction through the dipstick tube. The pump may also be used on inflatables such as footballs and tyres - a 400mm hose and various clip-on connectors are supplied for this purpose.

## 3. SPECIFICATION

Model No.....	TP50.V3
Transfer Pump Hose (x2).....	1300mm
Small Bore Extraction Hose.....	1200mm
Air Pump Hose.....	400mm

## 4. OPERATION

- 4.1. TO USE AS A SYPHON
  - 4.1.1. Insert one end of each of the two orange, hoses into the black connectors (A), fig.1.
  - 4.1.2. Push the orange hoses right into the nozzles. Then ensure the black connectors (A) are pushed securely over the nozzles.
  - 4.1.3. Put the orange hose from the top nozzle (intake) into the liquid to be transferred. Then insert the orange hose from the bottom nozzle (discharge) into where the liquid is to be discharged.  
NOTE: For proper syphoning the discharge hose must be lower than the intake hose.
  - 4.1.4. Pump the handle 3 or 4 times to prime it, once the liquid begins to flow, it will flow without further pumping.
    - WARNING!** After syphoning petrol, oil or any other flammable liquid, it is very important to clean the pump.
- 4.2. TO CHANGE OIL
  - 4.2.1. Follow steps 4.1.1 & 4.1.2 above. Insert the dipstick tube into the black adapter (B) and insert the adapter (and dipstick tube) into the end of the top (intake) orange hose. Insert the other end of the dipstick tube into the engine's dipstick hole and lower it in until it reaches the bottom of the oil sump. Place the bottom (discharge) orange hose into a drain pan and begin pumping.
- 4.3. TO USE AS AN AIR PUMP
  - 4.3.1. Place the air pressure hose into the bottom nozzle (discharge) and tighten securely, begin pumping. To inflate pool toys, beach balls, etc place an inflation needle into the threaded adapter on the end of the air pressure hose, then begin pumping.

## 5. MAINTENANCE

- 4.1 Flushing the pump with water is usually all that is needed for cleaning. For more thorough cleaning the pump can be disassembled, without the use of tools, and cleaned.




fig.1



**Environmental Protection**

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain off any fluids (if applicable) into approved containers and dispose of the product and the fluids according to local regulations.

**NOTE:** It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice.

**IMPORTANT:** No liability is accepted for incorrect use of this product.

**WARRANTY:** Guarantee is 12 months from purchase date, proof of which will be required for any claim.



Sole UK Distributor, Sealey Group.  
 Kempson Way, Suffolk Business Park,  
 Bury St. Edmunds, Suffolk.  
 IP32 7AR



01284 757500



01284 703534



[www.sealey.co.uk](http://www.sealey.co.uk)



[sales@sealey.co.uk](mailto:sales@sealey.co.uk)