



**SUPER GRIP KNITTED GLOVES LATEX
PALM- PACK OF 6 PAIRS - SIZES L/XL**
MODEL NO: TSP121L/6 TSP121XL/6



Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.



IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.

1. INTRODUCTION

Latex coating with poly cotton lining gives superior grip in wet and dry conditions. Breathable open back. Enhanced tear resistance. CE Marked and conforms to BS EN 388:2016 2-1-3-1-X.

2. SAFETY

- ✗ **DO NOT** use damaged or visibly soiled gloves
- ✗ **DO NOT** touch your face while wearing gloves.
- ✓ Wash hands with soap and water for at least 20 seconds and dry thoroughly before putting gloves on and after taking them off.
- ✓ Wear properly fitting gloves with a close fit around fingers and wrist to reduce risk of exposure.

3. SPECIFICATION

TSP121L/6 / TSP121XL/6
Conforms to specifications EN 388:2016 and EN 420: 2003+A1: 2009
Notified Body: 0075
Certificate Number: 0075/1022/162/10/19/3012
Carried out by C.T.C.

Mechanical Hazard EN 388 2131X	Abrasion Resistance	2	The numbers indicate the performance level of the glove. 1 = lowest 4 = highest 5 highest for blade cut resistance. 'X' indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
	Blade Cut Resistance	1	
	Tear Resistance	3	
	Puncture Resistance	1	
	Cut Resistance	X	

4. APPLICATIONS

- 4.1. Latex coated with poly cotton lining for comfort, grip & protection. Ideal for tasks where superior grip, both wet and dry, is important.

5. MAINTENANCE

- 5.1. Store in a bag or case out of direct sunlight, away from chemicals and abrasive substances, in a clean dust free environment.
- 5.2. Use original box/bag for storage and transportation.

6. OBSOLESCENCE

- 6.1. Store in original packaging, out of direct sunlight, away from chemicals and abrasive substances and under ordinary temperature and humidity conditions.
- 6.2. Like all protective products, the product life and level of service depend on the type of use, care and maintenance applied.

This document has been drawn up according to Regulation (EU) 2016/425 as amended to apply to GB for Personal Protective Equipment. The declaration of conformity can be accessed at www.sealey.co.uk.



ENVIRONMENT PROTECTION

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.



Note: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice.

Important: No Liability is accepted for incorrect use of this product.

Warranty: Guarantee is 12 months from purchase date, proof of which is required for any claim.

EU | Sealey EU Ltd, Farney Street, Carrickmacross, Co. Monaghan, A81 PK68 Ireland

UK | Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR



01284 757500



sales@sealey.co.uk



www.sealey.co.uk