Section 1. Product and Company Identification.

1.1 Model Number; SCS004 v1

1.2 Description; Concentrated General-Purpose TFR Detergent with Wax 25L
Traffic Film Remover
Unique Formula Identifier (UFI): ENA0-308Q-V00U-3ACQ

1.3 Manufacturer;

Jack Sealey Ltd.
t/a Sealey Group.
Kempson Way,
Bury St. Edmunds,
Suffolk,
IP32 7AR
UK

Jack Sealey (EU) Ltd
t/a Sealey Group.
Farney Street,
Carrickmacross,
Co. Monaghan,
A81 PK68
Ireland

technicalcompliance@sealey.co.uk

1.4 Emergency telephone number; 44 (0) 1284 757 500 (Office Hours)

Date of source compilation; 16/09/2026

Section 2. Hazards Identification.

2.1 Classification of the substance or mixture.
Skin Corr. 1B – H314 - Causes severe skin burns and eye damage.
Eye Dam. 1 – H318 - Causes serious eye damage.

2.2 Label elements.

UFI. ENA0-308Q-V00U-3ACQ

Hazard pictogram(s)



Signal Word. Danger

Hazard statements;
Causes severe skin burns and eye damage.

Section 2. Hazards Identification continued.

Precautionary statements;
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTRE/doctor.
Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards.
This mixture does not contain substances identified as PBT or vPvB.

Section 3. Substances.

3.1 Chemical Name (substance)	**3.1 CAS No.**	**3.2 Concentration Volume**	**Classification**	
			Hazard Class & Category Code	**Hazard Statements [1]**
Tetrasodium EDTA	64-02-8	2 – 8 %	-	-
Sodium hydroxide	1310-73-2	2 – 5 %	Skin Corr. 1A	H314
Alcohols, C9–11, ethoxylated	68439-46-3	1 – 4 %	Acute Tox. 4 Eye Dam. 1	H302 H318
Cocamidopropyl betaine (30%)	61789-40-0	1 – 4 %	Skin Irrit. 2 Eye Irrit. 2	H315 H319
Alkyl Ether Carboxylic Acids & Salts	68608-26-4	1 – 4 %	Eye Irrit. 2	H319

[1]For full text of Statements, see Section 16.

Section 4. First Aid Measures.

4.1 Description of first aid measures

First Aid measures, general. Call a poison centre or a doctor if unwell. Quote UFI in Section 1.2.

Inhalation
Move to fresh air. Seek medical attention if symptoms persist.

Skin Contact
Remove contaminated clothing. Rinse skin with water for at least 15 minutes.

Eye Contact
Rinse cautiously with water for at least 15 minutes. Remove contact lenses if present. Seek immediate medical attention.

Ingestion
Rinse mouth. Do not induce vomiting. Seek medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed
Severe burns to skin and eyes. Risk of permanent eye damage.

4.3. Indication of any immediate medical attention and special treatment needed
Treat as alkali exposure.

Section 5. Fire Fighting Measures.

5.1. Extinguishing media
Water spray. Foam. CO_2. Dry powder.

5.2. Special hazards arising from the substance or mixture
Product is not flammable. Thermal decomposition may release irritating fumes.

5.3. Advice for fire-fighters
Wear full protective equipment and Self Contained Breathing Apparatus.

Section 6. Accidental Release Measures.

6.1. Personal precautions, protective equipment and emergency procedures
Ensure adequate ventilation.
Use Personal Protective Equipment (PPE).

6.2. Environmental precautions
Prevent entry into drains and water courses.

6.3. Methods and material for containment and cleaning up
Absorb with inert material. Collect in suitable containers. Wash area with water.

6.4. Reference to other sections
See Section 7 for information on Safe Handling
See Section 8 for information of Personal Protective Equipment.
See Section 13 for information on disposal.

Section 7. Handling and Storage.

7.1. Precautions for safe handling
Do not breath mist or vapours.
Ensure adequate ventilation.
Prevent contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities
Store in original container.
Keep away from acids and reactive metals.
Protect from freezing and sunlight.

7.3. Specific end use(s)
Intended for use as Concentrated General-Purpose Traffic Film Remover, Model Number identified in 1.1 with Description stated in 1.2.

Section 8. Exposure Controls/Personal Protection.

8.1. Control parameters
Workplace exposure limit. 2 mg/m^3

8.2. Exposure controls
Appropriate Engineering Controls
Ensure adequate ventilation.

Eye/Face Protection
Chemical resistant goggles or face shield.
Prevent contact with skin.

Skin Protection
Nitrile or neoprene gloves.

Respiratory Protection
Ensure adequate ventilation.

Section 9. Physical and Chemical Properties.

9.1. Information on basic physical and chemical properties

The following information is not a technical specification or sales specification.

(a) Appearance:	Liquid. Red.
(b) Odour:	Mild
(c) Odour threshold;	Not applicable.
(d) pH:	>12
(e) Freezing point;	~0°C
(f) Initial boiling point;	~100°C
(g) Flash point;	Not applicable.
(h) Evaporation rate;	No data available.
(i) Flammability (solid, gas);	Not applicable.
(j) Upper/lower flammability or explosive limits;	Not applicable.
(k) Vapour pressure;	Not applicable.
(l) Density;	~1.05 g/cm^3
(m) Relative density;	No data available.
(n) Solubility(ies);	Fully miscible in water.
(o) Partition coefficient: n-octanol/water;	Not applicable.
(p) Auto-ignition temperature;	Not applicable.
(q) Decomposition temperature;	No data available.
(r) Viscosity;	Low.
(s) Explosive properties;	Not applicable.
(t) Oxidising properties.	Not applicable.

9.2 Other information — Strong alkali.

Section 10. Stability and Reactivity.

10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	Reacts with acids and reactive metals.
10.4. Conditions to avoid	Heat. Freezing.
10.5. Incompatible materials	Acids. Reactive metals. Oxidising agents.
10.6. Hazardous decomposition products	Irritant fumes.

Section 11. Toxicological Information.

11.1. Information on toxicological effects

Skin corrosion/irritation Classification:
Skin Corr. 1B (H314)
The mixture contains alkaline components (sodium hydroxide at 5%) and surfactants which can cause severe skin burns. Contact may result in pain, redness, blistering, and tissue damage. Prolonged or repeated exposure may lead to dermatitis due to defatting of the skin.

Serious eye damage/eye irritation Classification:
Eye Dam. 1 (H318)
The mixture may cause serious eye damage, including severe irritation, watering, pain, and possible permanent injury if not treated promptly. Direct contact may result in corneal damage.

Respiratory or skin sensitisation
The mixture does not contain substances classified as respiratory or skin sensitisers. No sensitising effects are expected.

Information on other hazards
Surfactants may cause temporary gastrointestinal upset if swallowed.
Product may cause discomfort if inhaled as mist.
No evidence of endocrine disruption.
No additional hazards known under normal conditions of use.

Section 12. Ecological Information.

12.1. Toxicity	Surfactants harmful to aquatic organisms at high concentrations.
12.2. Persistence and degradability	Surfactants biodegradable.
12.3. Bioaccumulative potential	Low
12.4. Mobility in soil	High. Water soluble.
12.5. Results of PBT and vPvB assessment	Not applicable
12.6. Other adverse effects	None identified.

Section 13. Disposal Considerations.

13.1. Waste treatment methods

Dispose of in accordance with local authority regulations.
Do not release undiluted product into drains / water courses.

Section 14. Transport Information.

Not classified as dangerous for transport.

Section 15. Regulatory Information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
No data available.

15.2. Chemical safety assessment
No data available.

Section 16. Additional Information.

Full text of Statements used in Section 3;

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

The above information is believed to be accurate and represents the best information currently available.
No warranty is expressed or implied by the above information.
We assume no liability resulting from use of the above information.
The end user should conduct their own investigations to determine the suitability of the above information for their particular purpose.

Issue level	Date	Revisions
1	13/10/2015	First issue.
2	02/03/2017	Format only.
3	26/09/2023	Section 3.
4	22/10/2026	Section 3.

End of Safety Data Sheet.