

# Section 1. Product and Company Identification.

1.1 Model Number; SCS638S v1

**1.2 Description;** High Strength Retainer 50ml

#### 1.3 Manufacturer;

Sealey Group. Kempson Way, Bury St. Edmunds, Suffolk. IP32 7AR

**1.4 Emergency telephone number;** 44 (0) 1284 757 500 (Office Hours)

Date of source compilation; 24 February 2015

# Section 2. Hazards Identification.

2.1 Classification of the substance or mixture.

STOT SE 3: H335; Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin

Sens. 1: H317; -: EUH208

#### Risk phrases;

R20: Harmful by inhalation.

R36/37/38: Irritating to eyes, respiratory system and skin.

R43: May cause sensitisation by skin contact.

### Safety phrases;

S24: Avoid contact with skin. S37: Wear suitable gloves.

#### 2.2 Label elements.

#### Hazard pictogram(s)



Signal Word. Danger

#### Hazard statements;

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

H412: Harmful to aquatic life with long lasting effects.



#### Section 2. Hazards Identification, continued.

#### Precautionary statements;

P261: Avoid breathing vapours.

P264: Wash contaminated skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P312: Call a POISON CENTER/doctor//if you feel unwell.

P321: Specific treatment (see information on this label).

P332+313: If skin irritation occurs: Get medical advice/attention.

P337+313: If eye irritation persists: Get medical advice/attention.

#### 2.3 Other hazards.

None identified.



# Section 3. Substances.

			Classifi	cation
<b>3.1 Chemical Name</b> (substance)	3.1 CAS No.	3.2 Concentration Weight	Hazard Class & Category Code	Hazard Statements
Acrylic Resin	-	31%	Not classified	-
Polyglycol Dimethacrylate	109-16-0	24.3%	Not classified	-
2-Hydroxypropyl Methacrylate	923-26-2	12.1%	Eye Irrit. 2 Skin Sens. 1	H319 H317
2,2-Bis(Acryloyloxymethyl)Butyl Acrylate	15625-89-5	3%	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317
Acrylic Acid	79-10-7	3%	Flam. Liq. 3 Acute Tox. 4 Acute Tox. 4 Acute Tox. 4 Skin Corr. 1A	H226 H332 H312 H302 H314
Cumene Hydroperoxide	80-15-9	1%	Aquatic Acute 1 Org. Perox. E Acute Tox. 3 Acute Tox. 4 Acute Tox. 4 STOT RE 2 Skin Corr. 1B Aquatic Chronic 2	H400 H242 H331 H312 H302 H373 H314 H411
N,N-Dimethyl-P-Toluidine	99-97-8	0.5%	Acute Tox. 3 Acute Tox. 3 Acute Tox. 3 STOT RE 2 Aquatic Chronic 3	H331 H311 H301 H373 H412
1-Acetyl-2-Phenylhydrazine	114-83-0	0.5%	Not classified	-
Cumene	96-82-8	0.34%	Not classified	-

For full text of Phrases and Statements, see Section 16.



## Section 4. First Aid Measures.

#### **4.1** Description of first aid measures

#### **Inhalation**

Remove casualty from exposure ensuring one's own safety whilst doing so. Get medical attention if any discomfort continues.

#### **Skin Contact**

Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

#### **Eye Contact**

Bathe the eye with running water for 15 minutes. Consult a doctor.

#### Ingestion

Wash out mouth with water.

Get medical attention if any discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

Irritation or pain may occur at the site of contact.

An itchy rash may occur at the site of contact. Blistering may occur.

**Eye contact:** There may be irritation and pain.

The eyes may water profusely. Corneal burns may occur.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

# **Section 5. Fire Fighting Measures.**

#### **5.1.** Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

## **5.2.** Special hazards arising from the substance or mixture

In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

In combustion emits toxic fumes of nitrogen oxides.

In combustion emits toxic fumes of sulphur oxides.

#### **5.3.** Advice for fire-fighters

Wear self-contained breathing apparatus.

Wear protective clothing to prevent contact with skin and eyes.



# Section 6. Accidental Release Measures.

6.1. Personal precautions, protective equipment and emergency procedures

If outside do not approach from downwind.

If outside keep bystanders upwind and away from danger point.

Mark out the contaminated area with signs and prevent access to unauthorised personnel.

Turn leaking containers leak-side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

Do not discharge into drains or rivers.

Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Absorb into dry earth or sand.

Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

See Section 7 for information on Safe Handling

See Section 8 for information of Personal Protective Equipment.

See Section 13 for information on disposal.

# Section 7. Handling and Storage.

#### 7.1. Precautions for safe handling

Avoid direct contact with the substance.

Ensure there is sufficient ventilation of the area.

Do not handle in a confined space.

Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, well ventilated area.

Keep container tightly closed.

#### 7.3. Specific end use(s)

Intended for use as a High Strength Retainer: Model Number identified in 1.1 with Description stated in 1.2.



# Section 8. Exposure Controls/Personal Protection.

#### **8.1.** Control parameters

P261: Avoid breathing vapours.

P264: Wash contaminated skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER/doctor//if you feel unwell.

P321: Specific treatment (see information on this label).

P332+313: If skin irritation occurs: Get medical advice/attention.

P337+313: If eye irritation persists: Get medical advice/attention.

#### **Hazardous ingredients:**

#### **Acrylic Acid**

State	8 Hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	30 mg/m <sup>3</sup>	60 mg/m <sup>3</sup>	-	-

#### Cumene

UK	125 mg/m <sup>3</sup>	250 mg/m <sup>3</sup>	-	-

#### **DNEL / PNEC** No data available.

PNEC = predicted no effect level

DNEL = derived no effect level

#### **8.2.** Exposure controls

#### **Appropriate Engineering Controls**

Ensure there is sufficient ventilation of the area.

#### **Eye/Face Protection**

Safety glasses with side shields or chemical safety goggles.

Ensure eye bath is to hand.

#### **Skin Protection**

EN 374 Chemical resistant protective gloves.

Wear suitable protective clothing.

## **Respiratory Protection**

Self-contained breathing apparatus must be available in case of emergency.



# Section 9. Physical and Chemical Properties.

9.1. Information on basic physical and chemical properties

The following information is not a technical specification or sales specification.

(a) Appearance: Green liquid. (b) Odour: Sweet smell.

(c) Odour threshold; No information available.

(d) pH: Not applicable.

(e) Melting point/freezing point; > 100°C

(f) Initial boiling point and boiling range; No information available.

(g) Flash point; > 93°C

(h) Evaporation rate; No information available. (i) Flammability (solid, gas); No information available. (j) Upper/lower flammability or explosive limits; No information available.

(k) Vapour pressure; < = 666.6Pa

(I) Vapour density; 1.08

(m) Relative density; No information available. (n) Solubility(ies); < 0.1% soluble in water. (o) Partition coefficient: n-octanol/water; No information available. (p) Auto-ignition temperature; No information available. (q) Decomposition temperature; No information available. (r) Viscosity; No information available. (s) Explosive properties; No information available. No information available. (t) Oxidising properties.

9.2 Other information No information available.

# Section 10. Stability and Reactivity.

**10.1.** Reactivity Stable under recommended transport or storage conditions.

10.2. Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions Hazardous reactions will not occur under normal transport

> or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid Heat. Direct sunlight. Sources of ignition. 10.5. Incompatible materials Strong oxidising agents. Strong acids.

In combustion emits toxic fumes. 10.6. Hazardous decomposition products



# **Section 11. Toxicological Information.**

## 11.1. Information on toxicological effects

**Hazardous ingredients:** 

#### 2-HYDROXYPROPYL METHACRYLATE

0.01			7064	,,
ORL	MUS	LD50	/964	mg/kg

## 2,2-BIS(ACRYLOYLOXYMETHYL)BUTYL ACRYLATE

IPR	RAT	LD50	55	mg/kg
ORL	RAT	LD50	5190	mg/kg

#### **ACRYLIC ACID**

IPR	RAT	LD50	22	mg/kg
ORL	MUS	LD50	830	mg/kg
ORL	RAT	LD50	1250	mg/kg
SCU	MUS	LD50	1590	mg/kg

#### **CUMENE HYDROPEROXIDE**

ORL	MUS	LDLO	5	gm/kg
ORL	RAT	LD50	382	mg/kg
SCU	RAT	LD50	382	mg/kg

## N,N-DIMETHYL,P-TOLUIDINE

			242	/1
IPR	I MUS	LD50	/   /	l mg/kg
IT IX	11103	LD30		איי /פייי

## **CUMENE**

ORL	MUS	LD50	12750	mg/kg
ORL	RAT	LD50	1400	mg/kg

#### Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	INH	Hazardous: calculated
Irritation	OPT INH DRM	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated

DRM - dermal INH - inhalation OPT - optical

# SEALEY

#### Section 11. Toxicological Information, continued.

# Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

Irritation or pain may occur at the site of contact.

An itchy rash may occur at the site of contact. Blistering may occur.

**Eye contact:** There may be irritation and pain.

The eyes may water profusely. Corneal burns may occur.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

# Section 12. Ecological Information.

12.1. Toxicity
12.2. Persistence and degradability
12.3. Bioaccumulative potential
12.4. Mobility in soil
No information available.
No information available.
No information available.

12.5. Results of PBT and vPvB assessment This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects No information available.

# **Section 13. Disposal Considerations.**

13.1. Waste treatment methods

Dispose of in accordance with local authority regulations.

# Section 14. Transport Information.

This product does not require classification for transport.

# Section 15. Regulatory Information.

**15.1.** Safety, health and environmental regulations/legislation specific for the substance or mixture No information available.

15.2. Chemical safety assessment

No information available.



# Section 16. Additional Information.

Full text of Phrases and Statements used in Section 3;

H226: Flammable liquid and vapour.

H242: Heating may cause a fire.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H332: Harmful if inhaled.

H373: May cause damage to organs through prolonged or repeated exposure

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

The above information is believed to be accurate and represents the best information currently available.

No warranty is expressed or implied by the above information.

We assume no liability resulting from use of the above information.

The end user should conduct their own investigations to determine the suitability of the above information for their particular purpose.

Issue level	Date	Revisions
1	08/04/16	First issue.
2	27/03/17	Format only.

End of Safety Data Sheet.